WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

11.3. Snayugata Vata

Snāyugata Vāta

1. Classical identity & cardinal śloka

"bāhyābhyantaramāyāmaṁ khalliṁ kubjatvameva ca / sarvāṅgaikāṅgarogāṁś ca kuryāt snāyugatō'nilaḥ"

— Cāraka Saṃhitā, Cikitsā 28 | 35

When vitiated **Vāta** lodges in **snāyu** (tendons/ligaments) it produces:

- voluntary & involuntary contractures (bāhya-ābhyantara āyāma)
- joint deviation / khalli (valgus-varus), spinal curvature (kubjatva)
- ache, stiffness or disease of one limb (ekāṅga roga) or many (sarvāṅga).

2. Samprāpti (pathogenesis) in brief

Hetu-sthāna: rukṣa-śīta āhāra, over-use (ativyāyāma), strain/trauma (abhighāta), senile dhātu-kṣaya.

Doşa: kevala Vāta → or Vāta obstructed by Kapha/Āma if swelling present.

Dūşya: snāyu + māṃsa, asthi.

Srotas: śirā-snāyu mārgas around affected joint.

Adhiṣṭhāna: mostly kurpara, kaṭi, jānu, maṇibandha etc.

Pathway: nidāna → Vāta guṇa (rukṣa, śīta) ↑ → dries unctuousness of snāyu → loss of elasticity → micro-tears → pain &

deformity.

3. Samprāpti-vighaţana (breaking the chain)

- 1. Sneha-sātmapana: restore oiliness inside & out.
- 2. **Snigdha-/Rūkṣa-Sweda** as stage demands; improves extensibility.
- 3. **Upanaha** (warm poultice) → sustained local sudation & drug delivery.
- 4. **Basti** (especially anuvasana) to pacify Vāta at its mūla (pakvāśaya).
- 5. Agnikarma or mardana/bandhana for residual trigger-points, instability.
- 6. Rasāyana & Brṃhaṇa to heal tendon matrix (collagen) & prevent relapse.

4. Classical chikitsā-sūtra

Sūśruta's Vātavyādhi chapter lays down (for Vāta lodged in snāyu, sandhi & asthi):

"Sneha, Agnikarma, Mardana, Upanaha, Bandhana ..."

— Suśruta Saṃhitā, Cikitsā 4 | 7-13 (English trans.)

Cāraka adds: "Repeated snehana-swedana imparts high flexibility".

Key points

- Begin with **Snehana** (internal + external) unless pronounced Āma-signs.
- **Swedana** follows local (*nāḍi / patra pinda*) or whole-body as tolerated.
- Upanaha: thick paste of vātahara drugs (nīrgundī, eranda leaves, sesame, rock-salt) tied warm for 6-12 h daily.

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



• **Agnikarma** (therapeutic cautery with heated metallic rod, honey or panchaloha coins) for focal pain / tennis-elbow style lesions — gives instant vāta-nāśana & collagen shrink-age.

WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

- Bandhana / orthotic support maintains rest & alignment during healing.
- **Basti-karma** (Dashamūla-nirūha alt. with Kṣīrabala-taila anuvasana 60 ml) in 8- or 15-day schedule; proven to hasten tendon recovery by systemic Vāta-śamana.

5. Practical chikitsā-yojanā (12-week outline)

Phase	Days	Internal	External / procedures
Āma-śamana (if swelling present)		Trikațu 2 g \times 3 with hot water; śunthīajamodā siddha jāla sips	Rūkṣa nāḍi-sweda 15 min
Snehana + Swedana	4-10	Kṣīrabala 101 taila 10 ml pāna b.i.d.	Abhyanga with Mahanārāyaṇa taila → Patra-pinda-sweda
Upanaha-bandhana	11-24	Continue Kṣīrabala (5 ml h.s.)	Daily upanaha (nīrgundī-tila-rock-salt), secure with cotton crepe; remove after 12 h
Basti-kāla	25-32	Yoga-basti: Day 1,3,5,7 Dashamūla- nirūha; Day 2,4,6,8 Anuvasana with Kṣīrabala 60 ml	gentle passive stretching post-basti
Re-conditioning	33-84	Yogarāja-guggulu 500 mg × 2; Aśvagandhā-chūrṇa 3 g h.s.; Mahārasnādi kaṣāya 40 ml b.i.d.	Weekly Agnikarma sittings (if pain 'hot- spot' persists); oil massage → graduated physiotherapy & yoga

Dose & schedule to be individualised per bala, agni & roga-bheda.

6. Rasāyana tail-end (weeks 8-16)

Rasāyana	Daily dose	Rationale
Aśvagandhādi lehya	a 10 g h.s. with warm milk	collagen synthesis, myo-tendinous strength
Gudūcī satva	500 mg b.i.d.	anti-inflammatory, micro-circulation
Śilājatu capsule	250 mg b.i.d. (if no hypertension)	rejuvenates asthi-majja-snāyu
Bala-ātaila nasya	4 drops/nostril pre-bed	nourishes supraclavicular snāyu pathways

7. Pathyā / Apathyā cheat-sheet

Pathyā (supportive)

- Warm, moist, **ghṛta-yukta** meals: wheat, red-rice, mung-dal soup, bone-broth (*māṃsa-rasa*) with dashamūla.
- Til-taila, sesame-laddu, garlic milk, soaked black-gram curry.
- Spices to kindle agni & micro-blood flow: dry ginger, ajwain, rock-salt.
- Daily **abhyanga**, warm-water bath, cotton-wool protection from cold wind.
- Gentle range-of-motion yoga (pañcāṅga parimārjana), avoid sudden jerks.

Apathyā (to avoid)

- Dry, cold, processed or reheated food, excess salad/raw pulses, canned aerated drinks.
- Night-vigil, day-sleep, erratic meal timing.
- Lifting heavy weights, repeated grip-straining gadgets without warm-up.
- Direct fan/AC blast on affected joint, sitting long hours in one posture.

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.





WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

8. Quick reference mnemonic

"S 4 A B"

Snehana → Swedana → Snāyu-specific Shalvana-upanaha → Agnikarma → Basti

Following this ladder breaks the Vāta chain at tendon level, restores elasticity and prevents recurrence.

In practice, combining Cāraka's repeated snehana-swedana regimen with Suśruta's local Upanaha-Agnikarma-Bandhana swiftly vighaṭanas the samprāpti of Snāyugata Vāta and, with rasāyana & strict pathyā, offers durable relief.

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.