



## Unit 1. Introduction to Research

### Unit 1: Introduction to Research

#### 1. Objectives

By the end of this unit, you should be able to:

- Define **research** in health sciences and explain how it differs from routine clinical work or administrative audits.
- Describe the **purpose, need, and scope** of research in Ayurveda and biomedicine, including patient care, public health, education, and policy.
- Recognize key **research domains** (basic, clinical, community, health-systems, implementation, and translational research).
- Explain the core ideas of **Evidence-Based Medicine (EBM)**—the triad of best research evidence, clinical expertise, and patient values—and the **5A cycle** (Ask, Acquire, Appraise, Apply, Assess).
- Outline what **Integrative Medicine** means in the Indian context and how to design and appraise studies that evaluate whole-system Ayurvedic care alongside modern biomedicine.
- Identify common pitfalls, biases, and ethical considerations at the stage of **framing a researchable question**.

#### 2. Need and Scope

##### 2.1 What is “Research” in Health Sciences?

**Research** is a systematic, disciplined process of asking answerable questions and using appropriate methods to generate **new, generalizable knowledge**. In health sciences it usually aims to reduce uncertainty in diagnosis, prognosis, therapy, prevention, or policy by using transparent, reproducible methods.

Key features:

- **Question-driven:** begins with a clear, focused question.
- **Systematic methods:** defined protocols, standardized measurements, planned analyses.
- **Reproducibility:** enough detail for others to repeat and verify.
- **Generalisability:** findings should inform practice beyond the immediate setting.

##### Research vs. Audit/Quality Improvement (QI)

- **Research** asks “what is true in general?”; it tests hypotheses and intends to produce generalizable knowledge.
- **Audit/QI** asks “are we doing what we should here?”; it measures practice against standards to improve local care. Both are essential, but only research aims for broader inference.

##### 2.2 Why Do We Need Research?

1. **Improve patient outcomes:** determine which treatments work, for whom, and at what risk-benefit balance (e.g., comparing two virechana protocols in patients with Amlapitta—acid peptic disease).
2. **Strengthen public health:** evaluate preventive strategies (e.g., school-based anemia screening and counselling).
3. **Conserve resources:** identify cost-effective options (e.g., home-based follow-ups after Panchakarma to reduce readmissions).
4. **Advance knowledge:** clarify disease mechanisms, standardize formulations, validate classical indications with modern endpoints.
5. **Policy and education:** build evidence for curriculum changes and national programs.

##### 2.3 Scope in Ayurveda and Biomedicine

Health research spans multiple, mutually reinforcing layers:

| Domain                           | Purpose                                   | Typical Methods  | Example in Ayurveda/Integrative Context   |
|----------------------------------|---|--|---|
| <b>Basic / Preclinical</b>       | Understand mechanisms                     | Pharmacognosy, phytochemistry, in-vitro models, animal studies | Standardizing <i>Mandura</i> -based formulations; antioxidant assays of <i>Punarnavā</i> extracts |
| <b>Clinical (Explanatory)</b>    | Test efficacy under ideal conditions      | RCTs with strict inclusion/exclusion                           | Efficacy of a specific <i>Takra-basti</i> protocol vs placebo for IBS-D                           |
| <b>Clinical (Pragmatic)</b>      | Test effectiveness in real-world practice | Pragmatic RCTs, cluster trials                                 | Whole-system Ayurvedic care vs usual biomedicine in osteoarthritis at district hospitals          |
| <b>Community / Public Health</b> | Prevent disease, promote health           | Surveys, cohort studies, community trials                      | School-based yoga & diet education to reduce adolescent obesity                                   |
| <b>Implementation Science</b>    | Close the “know-do” gap                   | Hybrid trials, process evaluations                             | Integrating <i>Rasāyana</i> counselling into NCD clinics; fidelity and adoption tracking          |
| <b>Health Systems / Policy</b>   | Optimize delivery & financing             | Cost-effectiveness, modelling                                  | Nalpamaradi-based wound-care bundle vs standard dressing in primary health centres                |
| <b>Translational</b>             | Bench-to-bedside & bedside-to-policy      | Multiphase research (T0–T4)                                    | From lab standardization of <i>Navāyasa cūrṇa</i> → hospital trial → scale-up guidelines          |

## 2.4 From Curiosity to Question

A good research idea becomes a **researchable question** when it is:

- **Feasible** (time, sample, skills),
  - **Interesting** (to you and the field),
  - **Novel** (adds something new),
  - **Ethical** (benefits outweigh risks), and
  - **Relevant** (to patients, policy, or science).
- This **FINER** filter prevents wasted effort.

A helpful framing tool is **PICO** for intervention studies:

**P**opulation, **I**ntervention, **C**omparator, **O**utcomes (with time and setting when needed).

For diagnosis use **PIRO** (Population, Index test, Reference standard, Outcomes), and for prognosis **PICoT** (Population, Issue/Index, Comparison, Time).

## 3. Concept of Evidence-Based Medicine (EBM) and Integrative Medicine

### 3.1 What Is EBM?

**Evidence-Based Medicine** is the conscientious, explicit, and judicious use of **current best evidence** in making decisions about the care of individual patients. It integrates three pillars:

1. **Best research evidence** (from well-conducted studies and syntheses),
2. **Clinical expertise** (skills to diagnose, judge benefits/risks, and individualize care),
3. **Patient values and preferences** (culture, affordability, feasibility, expectations).

**EBM is not “research replaces experience.”** It respects expert judgement and patient context while avoiding opinion-only practice.

### 3.2 The EBM 5A Cycle

1. **Ask** an answerable question (often using PICO).
2. **Acquire** the best available evidence (databases, guidelines, syntheses).

3. **Appraise** the evidence (validity, effect size, precision, applicability).
4. **Apply** to your patient (benefits, harms, costs, preferences, logistics).
5. **Assess** outcomes and your own process (audit, reflect, improve).

### 3.3 Hierarchies of Evidence (and When They Matter)

A simplified hierarchy—from strongest to weakest for intervention effects:

1. **Systematic reviews/meta-analyses of RCTs**
2. **Randomized Controlled Trials (RCTs)**
3. **Non-randomized comparative studies** (cohort, case-control)
4. **Case series**
5. **Case reports, expert opinion**

**Caveat:** Hierarchy depends on the question. For **harms**, rare events may be better captured by large observational cohorts. For **diagnosis**, cross-sectional studies with a gold standard matter. For **prognosis**, well-designed cohorts are key.

### 3.4 Appraising Validity in a Nutshell

- **Random sequence generation & allocation concealment** prevent selection bias.
- **Blinding** (participants, personnel, outcome assessors) reduces performance and detection bias.
- **Complete follow-up** and **intention-to-treat analysis** mitigate attrition bias.
- **Pre-registration** and **protocol adherence** limit selective reporting.
- **Sample size** and **power** ensure adequate precision to detect meaningful effects.

### 3.5 Outcomes That Matter

Prefer **patient-important outcomes** (pain, function, quality of life, survival) over only surrogate markers (e.g., only CRP reduction). In Ayurveda-informed trials, include both **modern endpoints** and **Ayurvedic constructs** (e.g., *Agni*, *Nidrā*, *Bala* as validated scales) provided they are **reliable and validated**.

### 3.6 What Is Integrative Medicine?

**Integrative Medicine** is a patient-centred, evidence-informed approach that **combines the best of conventional biomedicine with traditional systems like Ayurveda**, emphasizing safety, effectiveness, and whole-person care. It is **not** “alternative instead of,” but “together with” when beneficial and safe.

Core principles in the Indian context:

- **Whole-system perspective:** Ayurveda is used as a coherent system (diet, lifestyle, *Aushadhi*, *Pañcakarma*, counselling), not as isolated herbs only.
- **Safety first:** check interactions, quality assurance (GMP, pharmaco-vigilance).
- **Right patient, right therapy, right time:** individualization (*prakṛti*, *vikṛti*, comorbidities).
- **Evidence-informed choice:** use the **best available evidence** for both systems.

### 3.7 Research for Integrative Care: Designs That Fit

Because Ayurveda is multimodal and individualized, **pragmatic methods** often answer real-world questions better than overly restrictive trials.

#### Useful designs

- **Pragmatic RCTs:** Compare whole-system Ayurvedic care vs usual biomedicine, with flexible protocols and real-world eligibility.
- **Cluster randomized trials:** Randomize clinics or districts when individual randomization is impractical.
- **N-of-1 trials:** Repeated crossover within the same patient for chronic, stable conditions (e.g., osteoarthritis knee pain).
- **Comparative effectiveness research:** Head-to-head comparisons of two active strategies used in practice.

- **Mixed-methods studies:** Quantitative outcomes plus qualitative interviews to capture patient experience, adherence, *Ahāra-Vihāra* feasibility.
- **Implementation research (Hybrid designs):** Evaluate outcomes **and** how to integrate protocols into PHCs or district hospitals (fidelity, adoption, cost).

### Reporting considerations

- Describe **Ayurvedic diagnosis framework** (e.g., *doṣa*, *dūṣya*, *srotas*, *agni*) and the **rationale (yukti)** for chosen interventions.
- Specify **components** (formulations with botanical identity, dose, *anupāna*; *Pañcakarma* steps; *Pathya-Apathya*).
- Capture **adverse events**, herb-drug **interactions**, and **quality controls** (source, standardization).
- Use **core outcome sets** when available; otherwise justify how outcomes reflect patient benefit.

### 3.8 Example: A Real-World Question

**Question:** In adults with knee osteoarthritis attending a district hospital, does adding a standardized whole-system Ayurvedic package (*Āhāra-Vihāra* counselling, *Abhyanga-Svedana* sequence, and an internal formulation) to usual physiotherapy **improve pain and function** at 12 weeks compared with usual care alone?

- **Design:** Pragmatic, parallel-group RCT; allocation concealed; outcomes assessor-blinded.
- **Outcomes:** WOMAC pain/function (primary), patient global impression, rescue analgesic use, safety labs.
- **Process measures:** Adherence to diet/lifestyle advice; fidelity of *Abhyanga-Svedana*.
- **Analysis:** Intention-to-treat; mixed-effects models.
- **Interpretation:** If clinically meaningful improvement with acceptable safety and cost, the model is ready for scale-up.

### 3.9 Common Pitfalls (and How to Avoid Them Early)

- **Vague questions:** sharpen with FINER + PICO/PICoT.
- **Underpowered studies:** do a sample-size calculation based on your primary outcome.
- **Unreliable measures:** use validated scales; train assessors; pilot test forms.
- **Poor documentation of Ayurveda details:** pre-specify diagnostic criteria and treatment algorithms; maintain treatment logs.
- **Ignoring patient values:** incorporate preference-sensitive outcomes and shared decision-making.
- **Ethics oversights:** seek IEC approval, ensure informed consent, data privacy, safety monitoring.

### 3.10 Key Terms (Quick Glossary)

| Term  | Simple meaning                               | Why it matters   |
|---|--|--|
| <b>Bias</b>   | Systematic error that skews results          | Threatens validity; blinding and allocation concealment help |
| <b>Confounding</b>                                    | A third factor distorts true association     | Control by randomization, restriction, matching, adjustment  |
| <b>Internal validity</b>                              | Truthfulness of results within the study     | Without it, results are not believable                       |
| <b>External validity</b>                              | Applicability to other settings/patients     | Drives policy and practice adoption                          |
| <b>Effect size</b>                                    | Magnitude of benefit/harm                    | Guides clinical significance beyond p-values                 |
| <b>Precision</b>                                      | How narrow the confidence interval is        | Narrower CI → more certainty                                 |
| <b>Minimal clinically important difference (MCID)</b> | Smallest patient-perceived meaningful change | Basis for sample size and interpretation                     |
| <b>Pragmatic vs explanatory</b>                       | Real-world vs ideal-conditions trials        | Choice should match your decision need                       |

## 4. Take-Home Messages

- Research begins with a **clear, ethical, and relevant question**; methods follow the question.
- **EBM** blends the best research evidence with **clinical expertise** and **patient values** through the **5A cycle**.
- **Integrative Medicine** evaluates whole-system Ayurvedic care with designs that respect individualization and real-world complexity, without compromising rigour or safety.
- Early attention to **validity, outcomes that matter, and transparent reporting** prevents downstream problems.

## Assessment

### A. Multiple-Choice Questions (MCQs)

1. The **primary goal** of health research is to:  
A) Confirm existing beliefs in a clinic  
B) Produce generalizable knowledge using systematic methods  
C) Improve only the local audit score  
D) Replace clinical expertise with statistics  
**Answer: B. Explanation:** Research seeks generalizable knowledge; audits improve local practice.
2. In the **EBM triad**, which of the following is **not** a pillar?  
A) Best research evidence  
B) Clinical expertise  
C) Patient values and preferences  
D) Pharmaceutical marketing evidence  
**Answer: D. Explanation:** Marketing is not a pillar; EBM emphasizes unbiased scientific evidence.
3. The **best design** to compare real-world whole-system Ayurveda vs usual care is typically:  
A) Explanatory RCT with rigid protocols only  
B) Pragmatic RCT with flexible delivery and broad eligibility  
C) Case report  
D) Narrative review  
**Answer: B. Explanation:** Pragmatic RCTs suit real-world integration questions.
4. **Allocation concealment** primarily prevents:  
A) Detection bias  
B) Performance bias  
C) Selection bias  
D) Attrition bias  
**Answer: C. Explanation:** Concealment stops foreknowledge of allocation by recruiters.
5. A **patient-important outcome** is best exemplified by:  
A) CRP reduction only  
B) Surrogate biomarker change  
C) Pain relief and improved function  
D) Lab parameter normalization alone  
**Answer: C. Explanation:** Pain/function reflect meaningful benefits to the patient.
6. **FINER** helps you evaluate:  
A) Internal validity only  
B) Whether a research idea is worth pursuing  
C) Blinding adequacy  
D) Statistical significance  
**Answer: B.**
7. The **5A** sequence in EBM ends with:  
A) Appraise  
B) Apply  
C) Assess  
D) Acquire



**Answer: C.**

8. **N-of-1 trials** are most appropriate for:
- A) Acute, rapidly changing illnesses
  - B) Chronic stable conditions where patient-level response matters
  - C) Large population screening
  - D) Cross-sectional diagnosis studies

**Answer: B.**

9. **Implementation research** focuses on:
- A) Lab mechanisms only
  - B) The know-do gap and real-world adoption
  - C) Animal models exclusively
  - D) Philosophical debates

**Answer: B.**

10. **External validity** refers to:
- A) Truthfulness within the study
  - B) Statistical power
  - C) Applicability to other settings and populations
  - D) Blinding quality

**Answer: C.**

## **B. Short-Answer Questions (SAQs)**

1. Define research in health sciences and distinguish it from an audit.
2. List the three pillars of EBM and briefly explain each.
3. What is a pragmatic RCT? Give one situation in which it is preferred over an explanatory RCT.
4. Outline the FINER criteria and explain how they guide question selection.
5. Provide two examples of patient-important outcomes and two examples of surrogates in a musculoskeletal trial.

## **C. Long-Answer Questions (LAQs)**

1. **Discuss Evidence-Based Medicine (EBM):** Define it, describe the 5A cycle, elaborate on evidence hierarchies and their exceptions, and explain how to apply EBM in an Indian district-hospital setting with constrained resources.
2. **Integrative Medicine research design:** Describe challenges in evaluating whole-system Ayurvedic care, propose an appropriate study design (including outcomes and process measures), and discuss reporting standards that ensure transparency and safety.

## **D. Case-Based Vignette (Short)**

A 58-year-old woman with knee osteoarthritis seeks care at a district hospital. She is on NSAIDs with partial relief and requests Ayurvedic options. The hospital runs both biomedicine and Ayurveda clinics.

### **Tasks:**

- a) Frame a **PICO** question to evaluate adding a whole-system Ayurvedic package to usual care.
- b) Choose a suitable study design and justify it.
- c) Suggest two **patient-important outcomes** and one **process measure**.
- d) Identify one potential **bias** and how to mitigate it.

*End of Unit 1.*