

## 3.43 & 3.4. Navajāta Śiśu Paricaryā, Prāṇa-pratyāgamana

### Unit 3. Navajāta Vijnāna — Topics 3-4

## Learning goals

After this chapter you will be able to:

- describe step-by-step **essential newborn care** (ENC) in the first hour and first 24 hours, aligned with Ayurvedic *jātakarma* and classical guidance;
- explain safe, evidence-linked routines for warmth, skin-to-skin (KMC), cord/eye care, feeding, bath, and oiling;
- define **Prāṇa-pratyāgamana** and map it to the modern NRP sequence (dry-warm-position-clear-stimulate-ventilate), including danger signs and referral triggers;
- cite classical ślokas with references to support care decisions.

# 3) Navajāta Śiśu Paricaryā (Immediate & early care)

### 3.1 Classical anchor

गर्भाम्भः सैन्धववता सर्पिषा वामयेत्ततः । प्राजापत्येन विधिना जातकर्माणि कारयेत् ॥

"...expel the intra-uterine fluid with rock salt and ghee (as indicated), then perform the **Jātakarma** rites in the prescribed manner." — **Aṣṭāṅga Hṛdayam, Uttaratantra 1 (Bālopacaraṇīyam)**.

This succinctly frames two priorities still central today: **clear the airway/oropharynx if obstructed** and proceed with **structured immediate care** (*jātakarma*), i.e., warmth, cleanliness, and early feeding.

## 3.2 The Golden Hour (0-60 minutes) — stepwise

## Step 1 — Warmth (The "Warm Chain").

Receive the newborn on a **warm, dry cloth**, immediately **dry and cover**, cap the head, delay bathing, ensure a **draft-free** room ( $\approx$ 26-28 °C). This matches classical insistence on warmth during *jātakarma*. *Why*: cold stress  $\rightarrow$  hypoglycaemia, hypoxia; prevention is superior to treatment.

### Step 2 — Position & airway.

Place supine with **neutral head**. If secretions **obstruct** breathing, gently clear the mouth then nose (no routine deep suction). AH's instruction to remove intra-uterine fluid (quoted above) is functionally analogous to ensuring a **clear airway** before anything else.

### Step 3 — Skin-to-skin & KMC.

Place the baby **skin-to-skin** on the mother's chest; this stabilises temperature, glucose and breathing and facilitates breastfeeding; it operationalises the *jātakarma* goals of warmth, contact and quiet transition.

## Step 4 — Cord care.

Delay cord clamping (if vigorous) and keep the **stump clean and dry** (no routine applications). Classical texts emphasise **sterile handling of** *nābhi-nāḍī*; modern guidance mirrors this with dry care to reduce infection.

### Step 5 — Early initiation of breastfeeding (EIBF).

Begin **colostrum** within the first hour; avoid pre-lacteals. Position & latch counselling starts now; frequent on-demand feeds (8-12 times/day). This is the primary *brimhaṇa* for **rasa-dhātu** establishment.

<sup>©</sup> Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



## 3.3 First 24 hours & Day 1-7 — safe routines

### A. Oiling & massage (Snehana/Abhyanga) — timing & dravya.

Gentle oiling **after thermal stability and successful first feeds** is appropriate; choose **light, clean, lukewarm oils** suited to season (*kṣīrī-vṛkṣa-based decoctions/medicated waters are described for bathing in classical texts*). Avoid vigorous massage in LBW/preterm until stable.

### B. Bathing (Snāna).

**Delay** bathing; when done, use **lukewarm** water. *Suśruta* prescribes bathing after *jātakarma* with water/decoctions appropriate to season and baby's strength (e.g., **decoction of lactiferous trees**, aromatic drugs, or water warmed with gold/silver). Do **not** chill or overheat; keep the bath brief and room warm.

### C. Eye, skin, and cord.

Keep eyes clean with sterile water if needed; avoid irritants. Maintain **dry cord care**; monitor for redness/discharge. (Classical **rakṣā-karma** emphasises cleanliness and protection.)

### D. Feeding & elimination.

- **EBF** to 6 months; no water or pre-lacteals.
- Expect meconium in 24-48 h and urine within 24 h; chart feeds/voids.
- Support mothers with latch, positioning, and rooming-in; if mother's milk is scarce and the baby is stable, use **donor human milk** rather than formula where available.

### E. Screening & prophylaxis (recent practice).

Follow institutional policies for vitamin K, early newborn screening, and immunisation; these integrate smoothly with Ayurvedic emphasis on **prevention** and **strengthening** *ojas*.

## 3.4 Practical Ayurveda-plus counselling

- **Thermal care** = snehana + usna-paricaryā in a draft-free room; skin-to-skin is the modern articulation.
- Agni protection = allow unhurried sleep-feed cycles; avoid over-handling; do not give heavy or incompatible substances to the newborn.
- Stanya-doṣa correction = adjust maternal diet/rest first; typical triggers are excessive cold, heavy, or incompatible foods.
- Bath & oil choices follow season (rtu), dosa, and bala; always prioritise safety and warmth.

**Danger signs (for immediate referral):** poor/absent cry, fast breathing ≥60/min, chest indrawing, central cyanosis, temp <36 °C or >37.5 °C, refusal to feed, lethargy/seizures, jaundice in first 24 h, spreading umbilical redness. (Align with ENC lists.)

## 4) Prāṇa-pratyāgamana (Neonatal resuscitation)

## 4.1 Meaning and classical context

**Prāṇa-pratyāgamana** literally means "**restoring the life-breath**." Classical descriptions (esp. **Caraka**, **Suśruta**, **Vāgbhaṭa**) outline measures that **stimulate and support immediate breathing and circulation** in the apparently lifeless newborn—conceptually equivalent to **neonatal resuscitation** today.

The AH *Bālopacaraṇīyam* verse (quoted earlier) already embeds the priorities of **clearing obstructive fluid** and **prompt, ordered care**—a direct bridge to today's **NRP** algorithm.

<sup>©</sup> Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only. Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



### 4.2 When to start resuscitation

- No breathing/crying at birth or gasping.
- Heart rate <100/min after initial steps.
- Persistent central cyanosis or poor tone despite drying and stimulation. (Proceed without delay.)

## 4.3 The sequence (map to NRP; remember "D-W-P-C-S-V")

- 1. **D Dry** quickly; remove wet cloths to reduce heat loss.
- 2. **W Warm**: radiant heat/skin-to-skin; cap the head.
- 3. **P Position**: neutral head, slight neck extension.
- 4. **C Clear** secretions **only if** they obstruct breathing (mouth first, then nose); no routine deep suction.
- 5. **S Stimulate**: rub back/soles for **10-15 s** while reassessing breathing/HR.
- 6. **V Ventilate**: if **apnoeic or HR <100/min**, start **bag-and-mask ventilation** with room air/oxygen as per local protocol; check chest rise, re-seal mask, reposition if needed; reassess every 30 s. (Advanced steps—chest compressions, drugs—are specialist procedures and follow NRP algorithms.)

**Classical correlation for viva:** *Prāṇa-pratyāgamana* in the Ayurvedic texts is described as a set of **immediate, sense-organ-stimulating and airway-clearing acts** to kindle life-breath—functionally the same intent as today's stimulation + airway + ventilation sequence.

## 4.4 Special situations

- **Meconium-stained liquor**: if the baby is **non-vigorous** and airway obstruction is suspected, follow institutional NRP guidance on airway clearing before ventilation; if vigorous, proceed with routine care.
- Preterm/LBW: priority is thermal care (plastic wrap, pre-warmed room), gentle handling, early KMC when stable; ventilation requirements are common.
- After successful resuscitation: continue warmth, glucose monitoring, early feeding, and close observation; debrief the team and parents.

## 4.5 What NOT to do (safety)

- Do **not** delay ventilation while over-suctioning.
- Do **not** give pre-lacteal feeds or cold baths "to stimulate" the baby.
- Do **not** apply substances to the cord stump.
- Avoid vigorous massage/shaking; **stimulation must be gentle and brief**.

# 5) Putting it together

Short 6-marker: "Enumerate immediate newborn care."

• Warm, dry, cap; position + clear visible obstruction; skin-to-skin (KMC); cord care; EIBF; no early bath; monitor breathing, temperature, colour, tone; document and counsel. (Open with AH verse.)

10-marker: "Define Prāṇa-pratyāgamana and outline steps."

<sup>©</sup> Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only. Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



• Definition (restore life-breath); indications; **D-W-P-C-S-V** sequence; meconium approach; post-resuscitation care; one classical line (AH Uttara 1) + modern NRP mapping.

## **Self-assessment**

## MCQs (one best answer)

- 1. The **first** action in essential newborn care is:
  - A. Immediate bath B. Drying and providing warmth C. Deep suction D. Starting IV fluids. Ans: B.
- 2. Prāṇa-pratyāgamana primarily corresponds to:
  - A. Postnatal vitamins B. **Neonatal resuscitation** C. Phototherapy D. Cord dressing. **Ans:** B.
- 3. A non-breathing baby with HR 80/min after drying and stimulation needs:
  - A. Swaddling and observation B. **Bag-mask ventilation** C. Chest compressions only D. Early bathing. **Ans:** B.
- 4. Delayed bathing and skin-to-skin immediately after birth are justified because they:
  - A. Improve hair growth B. **Prevent hypothermia and support feeding** C. Replace feeds D. Prevent jaundice entirely. **Ans:** B.
- 5. According to AH (Uttara 1), one immediate priority after birth is to:
  - A. Apply kajal to eyes B. **Remove obstructive intra-uterine fluid** before rites C. Tie cord tightly with cloth D. Give herbal decoctions orally. **Ans:** B.

### **Short-answer (3-5 lines)**

- 1. List the **six components** of the Warm Chain you will implement in the labour room.
- 2. Define **Prāṇa-pratyāgamana** and write the **D-W-P-C-S-V** sequence.
- 3. Explain how KMC fulfils classical aims of jātakarma (warmth, prāṇa stability, stanya success).
- 4. State three cord-care principles and three danger signs at the umbilicus.
- 5. Describe safe timing and method for **first bath & oiling** in term vs LBW neonates.

## Long-answer (10-12 marks)

- 1. "Navajāta Śiśu Paricaryā is a continuum of fetal needs." Discuss thermal, respiratory and feeding transitions; correlate AH Uttara 1 with modern ENC/KMC; add counselling points for the family.
- 2. A term neonate is non-breathing with HR 90/min at 30 s. Present your **Prāṇa-pratyāgamana** algorithm, including ventilation checks, when to escalate, and immediate post-resuscitation care; include two classical rationales.

## References

## Classical/secondary sources discussing classical content

- Aṣṭāṅga Hṛdayam, Uttaratantra 1 (Bālopacaraṇīyam)—Jātakarma and immediate care (Sanskrit verse and exposition).
- Caraka Saṃhitā Online Neonatal care (Navajāta Śiśu Paricaryā) overview including prāṇa-pratyāgamana concept and sense-organ stimulation rationale.
- Reviews collating Suśruta/Vāgbhaţa instructions on newborn bath, oiling and seasonal considerations.
- Conceptual reviews on **Prāṇa-pratyāgamana** ≈ **resuscitation** in classical texts.

## Modern clinical standards (to align practice)

- WHO Essential Newborn Care & Warm Chain (thermal care, delayed bathing, skin-to-skin; early/exclusive breastfeeding).
- Neonatal Resuscitation Program (NRP)—initial steps, ventilation first approach, special situations.

<sup>©</sup> Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.







## 60-second recap

- Quote AH Uttara 1 to justify airway clearing + ordered jātakarma.
- Golden Hour: warm-dry-skin-to-skin-cord care-colostrum; delay bath; counsel and observe.
- **Prāṇa-pratyāgamana** = resuscitation mindset: **D-W-P-C-S-V**; ventilate promptly if apnoeic or HR <100/min.
- Keep answers **integrated**: classical intent (*ojas, prāṇa, rasa* support) + modern steps (ENC/NRP).

© Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only. Unauthorized reproduction, distribution, or commercial use is strictly prohibited.