



Unit 32. Karṇa Racanā Śarīra, Nidāna Pañcaka and Samānya Cikitsā of Karṇaroga

Unit 32. Karṇa Racanā Śarīra, Nidāna Pañcaka and Samānya Cikitsā of Karṇaroga

A) Racanā of Karṇa (Anatomy of the Ear)

1) Classical (Āyurvedic) description

- **Śrotrendriya (organ of hearing):** The ear (Karṇa) is the external seat of **Śrotrendriya** whose viśaya (object) is **Śabda** (sound). Śrotrendriya is said to be **Ākāśa-pradhāna** (space-dominant) and is nourished by **Ākāśa Mahābhūta**; its derangement expresses as defects of hearing and equilibrium.
- **Karṇa-deśa (ear region) terms used in texts:**
 - **Karṇapālī** — external auricle (pinna).
 - **Karṇa-mūla** — root of the ear (retro-auricular/tragal region).
 - **Karṇa-srotas / Karṇa-nāḍī** — external auditory canal leading to the tympanic membrane.
 - **Karṇāśrita marmāṇi** — important marma in the vicinity (e.g., **Vidhura, Śaṅkha, Apāṅga** close to ear-eye zone), whose injury leads to rjvā-śabda-bādha and hearing loss (traditional prognosis).

Chapter colophon incipit (Karṇaroga-Vijñāniya):

“अथातः कर्णगतरोगविज्ञानं व्याख्यास्यामः ।” (Suśruta Saṃhitā, Uttara-tantra 20/1)

(This signals the start of the Karṇaroga section that classifies ear diseases and describes their nidāna-lakṣaṇa.)

2) Modern anatomical correlation

[Coronal Cross section Ear anatomy 3D model](#)

- **External ear:** Auricle (helix, antihelix, tragus, lobule), **external auditory canal** (cartilaginous outer 1/3, bony inner 2/3), lined by skin and ceruminous glands (classical **karṇa-gutha** correlates to impacted cerumen).
- **Middle ear:** Tympanic membrane, ossicles (malleus, incus, stapes), Eustachian tube (pressure equalization; dysfunction relates to **pratināha** in classical nosology), mastoid air cells.
- **Inner ear:** Cochlea (hearing), vestibule & semicircular canals (equilibrium), vestibulocochlear nerve (CN VIII). Vascular and neural proximity to facial nerve (CN VII) is clinically crucial.
- **Vascular supply & lymphatics:** External carotid branches (superficial temporal, posterior auricular) and deep tympanic arteries; lymphatics to pre- and post-auricular nodes — correlate with **śopha** (inflammations) in classics.

B) Karṇaroga: Enumeration, Nidāna Pañcaka, Classification, Sādhyā-Asādhyā, Pathyāpathyā, and Samānya Cikitsā

1) Enumeration / Classification (Suśruta Uttara-tantra, Karṇaroga-Vijñāniya)

Suśruta describes **28** ear diseases. The list, with practical correlations:

1. **Karṇaśūla** — earache (otalgia)
2. **Praṇāda / Karṇanāda** — ringing/noise (tinnitus)
3. **Badhīrya** — deafness / significant hearing loss
4. **Kṣveda** — whistling-type noise
5. **Karṇasrāva** — otorrhoea (discharge/pus)
6. **Karṇakaṇḍū** — itching (otitis externa/dermatitis)
7. **Karṇagūtha** — impacted cerumen



8. **Kṛmikarṇa** — maggots/vermin in ear (myiasis)
9. **Pratināha** — block/obstruction (often post-nasal pathway/Eustachian dysfunction)
10. 10-11. **Karṇavidradhi** — two kinds of abscess (external/internal)
12. **Karṇapāka** — suppurative disease of ear
13. **Putīkarṇa** — fetid ear with thick offensive discharge
- 14-17. **Arśaḥ** — four types of polypoid growths
- 18-24. **Arbuda** — seven types of tumours
- 25-28. **Śopha** — four types of swellings

Chapter colophon close:

“इति सुश्रुतसंहितायामुत्तरतन्त्रे कर्णगत रोगविज्ञानो नाम विंशोऽध्यायः ।” (*Suśruta Saṃhitā, Uttara-tantra 20 — colophon*)

2) Samānya Nidāna (general etiological factors)**• Doṣa-prakopa:**

- **Vāta** — cold exposure, excessive Vātagena vyāyāma, fasting, dry astringent diet; sudden pressure changes → severe **karṇaśūla**, **nāda**, **badhirya**.
- **Pitta** — infections, heat, trauma → **karṇapāka**, burning pain, reddish-yellow discharge.
- **Kapha** — dampness, jalakrīḍā (water entry), day sleep, heavy-unctuous diet → **karṇakaṇḍū**, **karṇagūtha**, thick discharge.

• Kṛmi nidāna: poor hygiene → **kṛmikarṇa** (maggots).**• Nāsā-nāsyā sambandha:** Eustachian dysfunction following **pratiśyāya** (rhinitis) and faulty **nāsyā** can aggravate ear disorders (classical linkage of **śiras-nāsa-karṇa**).**Therapeutics incipit (Karṇaroga-Pratiśedha):**

“अथातः कर्णरोगप्रतिषेधं व्याख्यास्यामः ।” (*Suśruta Saṃhitā, Uttara-tantra 21/1*)

3) Samprāpti (pathogenesis) — pattern by doṣa

- **Vātaja karṇaśūla:** Vāta vitiation (śoṣa-rūkṣa-śīta) in **karṇa-srotas** → spasmodic, stabbing pain; tinnitus, variable hearing; relief by warmth/uncting.
- **Pittaja karṇasrāva/karṇapāka:** Pitta with rakta → inflammation, burning pain, fever, red canal, **pīta/haridrā** discharge.
- **Kaphaja:** Heaviness, pricking itch, **śveta/ghana** discharge; wax impaction/edema.
- **Samnipātaja:** Mixed signs; chronicity, deformity, and variable prognosis.
- **Complication channels:** **Pratināha** (tube block), **vidradhi** (abscess), **arśa/arbuda** (granulation/polyp/tumour), **śopha** (cellulitis/mastoiditis).

4) Sāmānya Lakṣaṇāḥ

- **Karṇaśūla** — teevra (colicky) or toda (pricking) pain, worse at night, better with warmth (Vātaja); burning pain & tenderness (Pittaja); dull heavy ache with itching (Kaphaja).
- **Śrava** — color/consistency points doṣa: **pīta-rakta** (Pitta), **śveta-ghana** (Kapha), thin/serous with pain (Vāta).
- **Nāda/Kṣveda** — ringing/whistling; **Badhirya** — progressive hypoacusis; **Kṛmikarṇa** — crawling, foul smell; **Arśa/Arbuda** — fleshy mass, bleeding touch; **Śopha** — erythema/heat/pain.

5) Nidāna-Pañcaka application

- **Hetu:** cold water exposure, faulty pramathana of ear, dust/smoke, trauma, post-nasal infections, day sleep, heavy snigdha-guru āhāra (Kapha).
- **Pūrvārūpa:** ear fullness, intermittent **nāda**, mild ache, heaviness, pricking itch, sense of block.
- **Rūpa:** described above (per doṣa/disease).



- **Upaśaya-Anupaśaya:** warmth/uncting relieves Vātaja; cooling/antiseptic soothes Pittaja; lekhana-śodhana and dry-light diet relieve Kaphaja.
- **Samprāpti:** doṣa-duṣya-saṃmūrchanā in **karna-srotas** with **āvaraṇa** (obstruction) or **saṅga** (stasis), sometimes spreading from **nāsa-kaṅṭha**.

6) Sādhyā-Asādhyā (Prognosis)

- **Sādhyā:** recent **Vātaja karnaśūla**, simple **karna-gūṭha**, **karna-kaṅṭhū**, non-suppurative catarrhal conditions, early **pratināha**.
- **Kṛcchra-sādhyā:** **karnaśrāva/karna-pāka** without bone involvement; small **arśa** (polyp).
- **Yāpya:** chronic **badhīrya**, recurrent otorrhoea with Eustachian dysfunction.
- **Asādhyā:** neglected/malignant **arbuda**, advanced **mastoiditis/intracranial spread**, gross congenital deafness (classically **badhīrya** with irreversible śrotrendriya-kṣaya).

Pathyāpathyā (Diet-Regimen)

Pathya (doṣa-wise):

- **Vātānulomana & snehana:** warm gṛṭa, warm milk with saindhava, mṛdu svedana, gentle local **abhyanga** (avoid force).
- **Pitta-samana:** cool but not cold fluids, tikta-madhura dravyas; avoid sun/heat; local sterile cooling fomentations in acute inflammation.
- **Kapha-hara:** laghu, uṣṇa, kaṭu-tikta-kaṣāya āhāra; avoid day sleep; steam inhalation for naso-pharyngeal clearance (indirectly improves Eustachian function).

Apathyā:

- Cold bath/wind exposure, swimming during active disease, forceful ear cleaning, loud sound exposure, night-wakefulness (for Vāta), spicy-sour (for Pitta), heavy, curd, banana, bakery items (for Kapha), and indiscriminate **nasya** when ear is acutely inflamed.

Samānya Cikitsā of Karṇaroga (Step-wise)

Therapeutics incipit:

“अथातः कर्णरोगप्रतिषेधं व्याख्यास्यामः ।” (*Suśruta Saṃhitā, Uttara-tantra 21/1*)

1) Pūrvakarma

- **Doṣa-samana through sārīra-śiro-upakrama:**
 - **Vātaja karnaśūla:** gentle **uṣṇa snehana** (sarvāṅga & periauricular), **mṛdu svedana**, followed by **karna-pūraṇa** with **uṣṇa taila/gṛṭa** (see below).
 - **Pittaja: śīta-upacāra;** avoid oil-pouring in presence of acute pus; prefer **kaṣāya-pralepa** around ear, antiseptic lavage after perforation supervised.
 - **Kaphaja: lekhana-upakrama** — fumigation, warm dry heat, decongesting **dhoomapāna** (when no acute suppuration), cautious ear toileting.

2) Pradhāna-kriyā

- **Karna-pūraṇa / Karna-tarpana (instillation/retention):**
 - **Vātaja: Saindhavādi taila, Bala-taila,** warm **pūrṇa gṛṭa**; 5-10 drops lukewarm; 1-2×/day until pain subsides.
 - **Pittaja:** when discharge reduces and membrane status allows, use **yaṣṭimadhu-gṛṭa, nimba-patra-**

svarasa-sahita ghr̥ta (coolant/ropañīya).

- **Kaphaja: Trikatu-siddha taila, Haridrā-taila** after wax/debris removal; **pippalī-arka** diluted for decongestion.
- **Śodhana (when indicated):**
 - **Karṇagūtha:** softening with warm sesame/olive oil or **bala-taila**, then gentle toileting (avoid pressure).
 - **Karṇavidradhi/karṇapāka:** surgical drainage when abscess localizes; sterilized wicks; **kaṣāya-pralepa** (nimba-patra, daruharidrā) around ear; systemic **dīpana-pācana**.
 - **Arśa/Arbuda:** evaluation for **kṣāra-karma, agnikarma**, or modern polypectomy/biopsy as per lesion.

3) Anuśaṅga-cikitsā (adjuvants)

- **Nāśya** (only after pain, fever, and acute discharge settle): **Anu-taila/śadbindu-taila** for Eustachian clearance and prevention of **pratināha**.
- **Gandūṣa/Kavala** with **yaṣṭimadhu-kaṣāya** or **triphala-kaṣāya** to reduce oropharyngeal sepsis (source for tubotympanic issues).
- **Dhoomapāna** (kapha-vāta states without suppuration) with **guggulu-haridrā** based medicated smokes for decongestion.
- **Rasāyana: Bhṛṅgarāja, Aśvagandhā, Amalaki** in chronic **badhīrya** to strengthen **indriya** (supportive).

4) Doṣa-wise snapshots

- **Vātaja karṇasūla:** uṣṇa snehana + karṇa-pūraṇa; **rasna-daśamūla-kaṣāya** internal; warm fomentation; strict wind-cold avoidance.
- **Pittaja karṇapāka/karṇasrāva:** anti-inflammatory **nimba-triphala-kaṣāya, gudūcī**; local antiseptic care; **dīpana-pācana** (mustā, parpaṭa); avoid oils until acute phase resolves.
- **Kaphaja karṇasrāva/kaṇḍū/gūtha: trikaṭu, pañkolā;** steam inhalation; careful wick toileting; later **karṇa-pūraṇa** with light, uṣṇa taila.
- **Samnipātaja / chronic suppurative:** staged care with culture-sensitive modern antibiotics (institutional), adjuvant Ayurvedic **śodhana-śamana**, polyp management, and hearing rehab.

Differential diagnosis pointers

- **Tinnitus (karṇanāda/pranāda)** vs **kṣveda:** various vs whistling quality; check anemia, thyroid, drugs, and noise exposure.
- **Otitis externa** vs **media:** tragal tenderness, canal edema (external) vs tympanic signs, fever, post-URTI (media).
- **Red flags (urgent referral):** mastoid pain/swelling, facial palsy, vertigo with fever, severe otalgia not settling — suspect **śopha/vidradhi** spread.

Quick textual anchors

- **Opening of classification chapter:**
“अथातः कर्णगत रोगविज्ञानं व्याख्यास्यामः ।” (SS Ut. 20/1)
- **Opening of therapeutics chapter:**
“अथातः कर्णरोगप्रतिषेधं व्याख्यास्यामः ।” (SS Ut. 21/1)
- **Colophon tags for answers:**
“...कर्णगत रोगविज्ञानो नाम विंशोऽध्यायः ।” (SS Ut. 20, end)
“...कर्णरोगप्रतिषेधो नाम एकविंशोऽध्यायः ।” (SS Ut. 21, end)

(Use these to show textual grounding when writing answers; then present your doṣa-wise analysis.)



Assessment

Long Essay (10 marks)

1. **Enumerate the Karṇaroga as per Suśruta and discuss the Nidāna-Pañcaka and Samprāpti of Karṇasrāva.**

Outline: 28 types; general hetu; doṣa-wise samprāpti; lakṣaṇa; upaśaya; prognosis; samānya and viśeṣa cikitsā.

2. **Explain the Samānya Cikitsā of Karṇaroga with emphasis on Karṇa-pūraṇa and its indications/contraindications.**

Outline: pūrvakarma; doṣa-wise oil/ghṛta choices; when to avoid oils; role of śodhana; adjuvants (nāśya, dhoomapāna); follow-up and relapse prevention.

Short Essays (5 marks)

1. **Describe Vātaja Karṇasūla — lakṣaṇa, upaśaya and line of management.**
2. **Write a note on Karṇagūtha (impacted cerumen) — nidāna, lakṣaṇa, and management.**
3. **Discuss Kaphaja Karṇakaṇḍū — differential diagnosis and pathyāpathyā.**
4. **Explain Pratināha with clinical correlation to Eustachian tube dysfunction.**

Short Answers (2 marks)

1. Define **Karṇanāda** and **Kṣveda**.
2. List four **red flags** in Karṇaroga requiring urgent referral.
3. Mention two **kapha-hara** kaṣāya for Karṇasrāva.
4. What is **Kṛmīkarṇa**? Give one key sign.
5. Name four **Arśa (polyp)-like** lesions of the ear in Suśruta.
6. State **two apathyā** in acute Karṇapāka.

MCQs (1 mark each)

1. Suśruta enumerates **Karṇaroga** as:
a) 18 b) 24 c) **28** d) 32
2. **Karṇagūtha** correlates best with:
a) Granulation b) **Impacted cerumen** c) Fungal otitis d) Membrane perforation
3. **Vātaja Karṇasūla** is generally relieved by:
a) Cold applications b) **Warm snehana** c) Amla-rasa diet d) Day sleep
4. **Puṭīkarṇa** indicates:
a) Normal ear b) **Fetid thick discharge** c) Itching only d) Vertigo only
5. **Pratināha** most closely matches:
a) Otosclerosis b) **Eustachian obstruction** c) Otomycosis d) Acoustic neuroma

Model viva points

- Always start with **doṣa-doṣya-deśa-kāla** when building **Nidāna-pañcaka**.
- Quote the **chapter incipits/colophons** to show textual anchoring, then present **clinical correlations**.
- In management, state **when oils are avoided** (acute purulent stage), and when **karṇa-pūraṇa** is re-introduced.