

Chapter 5. Comprehensive Psoriasis Care: Takra-Dhārā + Herbal Phototherapy

AD



[Advertise here](#)

(Moderate-Clinical Lesson · Reading Time ≈ 50 min)

5.1 Why Psoriasis Warrants a “Deeper-Integration” Approach

- **Plaque-type psoriasis** (chronic stationary or scalp) occupies the interface between dermatology and cosmetology.
- Classical Ayurveda calls it “**Kitibha Kuṣṭha**”—a stubborn **Vata-Kapha-dominant** skin disorder locked with **Pitta-Rakta** heat and systemic **āma**.
- Superficial creams alone fail; yet many patients hesitate at full Panchakarma.
- A **moderate protocol**—combining:
 1. **Takra-Dhārā** (continuous medicated buttermilk pour) to cool Pitta, reduce scaling, calm stress-Vata;
 2. **Herbal Phototherapy** (Bakuchi taila + controlled solar/LED exposure) for keratin-normalisation—bridges spa-grade therapy with physician-level results in 21 days.

5.2 Ayurvedic Pathogenesis Snapshot

Doṣha / Factor	Clinical Sign	Classical Note
Kapha	Thick, adherent silvery scale	<i>Śleṣma avarana</i> of skin srotas
Vata	Dry cracking, plaque borders	<i>Rukṣatā</i> , pricking pain
Pitta-Rakta	Erythematous base, post-inflammatory dyspigmentation	<i>Raktadushti</i>
Āma / Agni Mandya	Relapse after heavy meals, alcohol, stress	Gut-skin axis

Hence therapy must **peel Kapha, cool Pitta-Rakta, lubricate Vata, and rekindle Agni**.

5.3 21-Day Moderate-Clinical Protocol

Day	Intervention	Core Formulas	Purpose
0	Counselling + 3-day āma-pācana diet (mung-rice khichadi, – trikatu tea)		Prep gut, lower salt/sugar
1-5	Internal Snehana	30 → 60 ml/day Pañca-Tikta-Ghṛita Guggulu (PTGG)	Dislodge doshic load, soften plaques
6	Udvardhana (dry rub) using <i>Kolakulathādi chūrṇa</i> 30 min → mild – Bāshpa Sweda 10 min		Shear Kapha, open follicles
7	Mridu Virechana	10 g Trivṛt-lehya in warm water; aim 12 stools	Purge Pitta-Rakta



Day	Intervention	Core Formulas	Purpose
9-17	Takra-Dhārā Course (9 sessions)	Buttermilk + <i>Amla</i> , <i>Vetiver</i> , <i>Yashtimadhu</i> decoction; 40 min scalp/whole body	Cool, anti-pruritic, normalise keratin
10-20	Herbal Phototherapy (clinic or home)	Thin film Bakuchi-Sarshapa Taila → 5-10 min midday sunlight OR 308 nm LED (0.5 J/cm ²), alternate days	Stimulate melanogenesis & T-cell apoptosis modestly
14-21	Internal Rasāyana • <i>Ārogya-Vardhini</i> <i>Vaṭi</i> 250 mg tid after food	• <i>Sarivādi Kaṣāya</i> 20 ml BID	
Ongoing	Topical Home Regimen • PM : <i>Śata-Dhauta Ghṛita Barrier Balm</i>	• AM : <i>Neem-Kewra Hydrosol Mist</i> (Cat 10 F-2 variant)	
	Sustain moisture, reduce itch thin		

Sequence note: Phototherapy begins **two days after** virechana to avoid hypersensitivity; always patch-test Bakuchi taila on inner forearm 24 h.

5.4 Key Formulation SOPs

A. Takra Base Decoction (per session, 1 L)

Component	Qty
Fresh buttermilk (fat ≤ 1 %)	800 ml
Amla coarse powder	10 g
Vetiver root	5 g
Licorice powder	5 g
Boil herbs in 300 ml water → reduce 150 ml → sieve → mix into chilled buttermilk; final temp 32 °C.	

B. Bakuchi-Sarshapa Taila (200 ml batch)

Sesame oil 120 ml • Mustard oil 50 ml • Bakuchi seed powder 20 g • Manjishtha 6 g • Turmeric 4 g • Water 400 ml. Sneha-pāka to taila paka; cool; add Vit E 0.4 ml.

5.5 Clinic Session Breakdown

Task	Time	Therapist Note
Client supine on dhārā table; eye pads placed	5 min	Ensure scalp fully exposed for scalp psoriasis
Continuous Takra-Dhārā stream 4–5 mm dia	40 min	Rotate vessel for uniform coverage; maintain 30–32 °C
Gentle rinse; pat-dry	5 min	No soap; allow residual buttermilk film
LED/solar exposure (if same day)	5-10 min	Cover unaffected skin; goggles
Post-care smear <i>Śata-Dhauta Ghṛita</i>	2 min	Locks moisture, reduces photo-erythema

Total chair time ≈ 1 hr.



5.6 Expected Milestones

Day	Outcome
5	Scale thickness ↓ 30 %; pruritus eased
10	Erythema fading, plaques softer; less scaliness on scalp shirts
21	50–70 % PASI reduction; residual pink macules
45	Maintenance with rasāyana + home topicals keeps relapse rare

5.7 Contra-Indications & Precautions

Contraindication	Reason / Action
Active infection (impetiginised plaques)	Defer dhārā & phototherapy; start antibiotics
Pregnancy / lactation	Avoid Bakuchi (photosensitiser) & PTGG; use mild regimen
Photodermatoses, lupus	Omit phototherapy; rely on dhārā + virechana
Severe anaemia (< 8 g Hb)	Postpone virechana; correct first

Stress-trigger management: prescribe **Bhramari pranayama** 10 min BID; adaptogenic **Ashwagandha 300 mg HS**.

5.8 Billing Example

Service	Sessions	Rate	Subtotal
Consult & prakṛti map	1	\$35	\$35
5-day Sneha-pāna supervision	–	\$70	\$70
Virechana procedure	1	\$80	\$80
9 Takra-Dhārā sittings	9 × \$45	\$405	\$405
Herbal phototherapy kit	–	\$55	\$55
Rasāyana meds & topicals (4 wks) –	–	\$120	\$120
Total (≈ 21 days)			\$765

5.9 Patient FAQs

Q: Will buttermilk smell on my scalp?

A: A mild sour scent dissipates after the final rinse; applying Śata-Dhauta Ghṛita masks any trace.

Q: Is Bakuchi taila same as PUVA?

A: No. We use low-dose psoralen oil + soft UVA/narrow-band light, avoiding systemic photosensitisers.

5.10 Summary

A **dual-modality** of **Takra-Dhārā** (Pitta-Kapha cooling) and **Herbal Phototherapy** (controlled keratin regulation) offers a powerful yet patient-friendly bridge between spa cosmetology and dermatologic care. When integrated with gentle virechana and rasāyana support, plaque psoriasis can enter prolonged remission without steroids.

[AD](#)



AYURVED BHARATI®

WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

www.ayurvedbharati.org



the ayurvedic store
BY AYURVITE WELLNESS

Wholesale medicines

Buy Ayurvedic medicines at wholesale rate.

[Buy now](#)

[Advertise here](#)

AYURVEDBHARATI.ORG