

WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

2. Barriers to Effective Communication

BVPT-104: English & Communication

Chapter 2: Barriers to Effective Communication

Topic: Identifying and Overcoming Communication Barriers

□ Introduction

Communication is essential in all aspects of life—especially in **healthcare**, where misunderstandings can impact diagnosis, treatment, and recovery. While effective communication builds trust and improves patient outcomes, **barriers** can prevent the message from being understood clearly.

In this chapter, we will explore:

- What are communication barriers?
- Types and real-life examples
- Strategies to overcome each barrier in healthcare and physiotherapy

□ What is a Communication Barrier?

A **communication barrier** is anything that prevents the correct transmission, reception, or interpretation of a message between a sender and receiver.

"A barrier is anything that interferes with the **flow or understanding** of communication."

In physiotherapy, poor communication can result in:

- Patients not following instructions
- Delayed progress or recovery
- Misunderstandings and lack of trust

☐ Types of Communication Barriers

Let's break them down with examples and how they affect physiotherapy:

☐ A. Physical Barriers

These are external environmental factors.

Example Impact in Clinical Practice

Noise in the treatment area Patient can't hear instructions clearly

Poor lighting Therapist can't see patient's expression/posture

Distance Voice loses clarity in a large space

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only. Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

□ B. Psychological Barriers

Barriers caused by emotions, thoughts, or mental health.

Example Impact in Clinical Practice
Anxiety Patient hesitates to ask questions

Anger or frustration Misunderstanding or resistance to therapy
Depression Disinterest, low motivation, poor response

☐ C. Physiological Barriers

Barriers related to health or body function.

Example Impact in Clinical Practice

Hearing loss Patient misses or misunderstands instructions

Visual impairment Can't read educational material

Speech difficulties Patient can't express discomfort or concerns

□ D. Language Barriers

When the **spoken or written language** is hard to understand.

Example Impact in Clinical Practice

Using medical jargon "Perform passive range of motion" vs. "Move your arm gently"

Different dialect or accent Patient misunderstands the instructions Patient doesn't speak therapist's language Complete communication breakdown

☐ E. Cultural and Social Barriers

Different cultural beliefs or social norms may affect communication.

Example Impact in Clinical Practice

Gender-based interaction norms Some female patients may avoid open discussions

Touch sensitivity Some cultures avoid physical contact
Misunderstood gestures A nod or smile may mean different things

☐ How to Identify Communication Barriers

Observe for:

- Repeated clarification requests
- Patient seems confused or silent
- Wrong action despite instructions
- Mismatch in facial expression and words
- No feedback from patient

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.







WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

☐ Strategies to Overcome Communication Barriers

Here's how a physiotherapist or health worker can manage each barrier:

Barrier Type Solution / Strategy

Physical Ensure quiet, well-lit space; reduce distractions

Psychological Build rapport, be empathetic, give patient time to open up Physiological Use visual aids or tactile cues; speak slowly and clearly

Language Use **simple, everyday words**; demonstrate; use a translator if needed Cultural Be respectful; avoid assumptions; learn about patient's background

□ Self-Check Questions

- 1. What is a physiological communication barrier?
- 2. Give two examples of how language can become a barrier.
- 3. How can physical barriers be reduced during a therapy session?
- 4. What is one cultural factor that may affect patient communication?
- 5. Why is psychological state important in patient-therapist interaction?
- 1. A health-related condition like hearing loss or speech impairment.
- 2. Use of jargon; patient and therapist don't speak the same language.
- 3. Use a quiet, well-lit space and keep close proximity during instructions.
- 4. Gender norms or taboos around discussing health conditions.
- 5. Emotions like anxiety or depression can affect a patient's participation.

☐ Key Take-Home Messages

- Barriers can **block understanding** even when communication seems clear.
- Being aware of different **types of barriers** is the first step to overcoming them.
- Adapt your language, tone, and approach to suit the patient's needs.
- Good communication ensures better compliance, recovery, and trust in physiotherapy practice.

© Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.