

Chapter 4. Part 3. Burns and Scalds

Chapter 4 • Management of Common Injuries

Part 3 • Burns and Scalds

(How to recognise the type and depth of a burn—and what to do in the first 10 minutes)

1 What Are Burns and Scalds?

- **Burn** = tissue damage caused by **dry heat** (flame, hot metal, electricity, chemicals, radiation).
- **Scald** = burn caused by **moist heat** (boiling water, steam, hot oil, soup).
Both destroy skin cells and, if deep, the tissues underneath (fat, muscle, even bone).

2 Classification by Depth (How Many Skin Layers Are Injured?)

Old Term	Modern Term	Skin Layers Involved	Key Visual Signs	Pain Level	Healing Time*
1st-degree	Superficial burn	Only epidermis	Red, dry, no blisters (like sunburn)	Painful	3–7 days, no scar
2nd-degree	Superficial partial-thickness	Epidermis + top dermis	Red-pink, clear blisters , moist, capillary refill brisk	Very painful	1–3 weeks, minimal scar
	Deep partial-thickness	Epidermis + deep dermis	Blotchy red-white, sluggish cap refill, less moist	Sensation ↓	3–6 weeks, often scars
3rd-degree	Full-thickness	All skin layers, may expose fat	Waxy white, brown or charred; painless (nerves burned)	No pain in centre	Needs grafting
4th-degree	Sub-dermal	Skin + fat + muscle / bone	Charred, black, bone visible	No pain in centre	Surgical / amputation

*Assuming good first aid and no infection.

3 Classification by Size (Total Body Surface Area = TBSA)

Use the **Rule of Nines** for adults:

- Head = 9 % • Each arm = 9 % • Each leg = 18 % • Torso front = 18 % • Back = 18 % • Perineum = 1 %

Severity Guide (Adults)

Burn Depth	TBSA %	Classified As	Action
Any superficial	<10 %	Minor	Out-patient care
Partial-thickness	10–20 %	Moderate	Hospital observation
Full-thickness	>1 % OR any on face, hands, feet, genitalia, joints	Major	Burn centre / ICU

4 First-Aid Principles—The “C O O L” Rule

Cool • Observe • Over (cover) • Loop in help

1. **Cool the burn** with **running cool tap water** (NOT ice, NOT icy water) for **20 minutes**. Works up to 3 h after injury.
2. **Observe** for jewellery, tight clothing—remove gently before swelling starts.
3. **Cover** the area with a **clean non-fluffy dressing**: cling film, sterile gauze, or a clean plastic bag (for hand/foot).
4. **Loop in help**: call EMS if burn is deep, >10 % TBSA, electrical, chemical, on critical areas, or if the casualty is a child/ elderly.

5 Special First Aid by Cause

5.1 Thermal Burns (Flame, Hot Objects, Scalds)

1. **Stop the heat source**—turn off gas, smother flames with blanket.
2. Follow **C O O L**.
3. **Do NOT**: apply butter, toothpaste, turmeric, or ice; break blisters.

5.2 Chemical Burns (Acids, Alkalis, Industrial Cleaners)

1. **Protect yourself**—wear gloves, goggles.
2. **Brush off dry powder** chemicals first (lime, cement).
3. **Irrigate immediately** with **copious running water** for **30 minutes** or until EMS says stop. Remove contaminated clothing while flushing.
4. **Cover loosely** with sterile dressing.
5. **Do NOT** neutralise with the opposite chemical (acid vs base)—can cause heat reaction.

5.3 Electrical Burns (Household, Power Lines, Lightning)

1. **Switch off power** or push casualty away with non-conductive stick.
2. **Check ABCs**—cardiac arrest common; start CPR if no pulse.
3. Look for **entry and exit wounds** (small skin burns) but **assume deep tissue damage**.
4. Treat any visible burns as thermal (C O O L) but **always send to hospital** (risk of heart rhythm trouble, kidney injury).
5. If lightning strike: Treat as electrical; multiple casualties—first treat those who **appear dead** (they may be in reversible cardiac arrest).

6 Immobilisation & Transport

Situation	Simple Immobilisation Trick
Burn on limb with severe pain/swelling	Elevate on pillow; loosely wrap with cling film from distal → proximal to limit oedema.
Facial burn with airway risk	Sit upright if conscious; watch for hoarse voice / stridor—prepare for rapid EMS arrival.
Circumferential limb burn	Remove rings/watches; mark pulses; splint gently to reduce movement pain.



7 Red-Flag Signs—Call EMS or Go to Burn Centre

- Burned area **larger than the patient's palm** × 3.
- **Full-thickness** or **deep partial-thickness** burn anywhere.
- Any burn on **face, hands, feet, groin, major joint**.
- Chemical or electrical source.
- Signs of inhalation injury (soot in mouth, coughing black, singed nasal hair, hoarse voice).
- Child <5 y or adult >60 y with >5 % TBSA burn.
- Casualty with diabetes, heart disease, or immune compromise.

8 Self-Check Quiz

1. **Why is ice a bad idea on a fresh burn?**
2. **How long should you flush an alkali chemical burn to the eye?**
3. **Which two hidden complications worry us most after an electrical burn?**
4. **What depth of burn is painless in the centre and why?**
5. **Rule of Nines:** What percent is the front of one leg?
 1. Causes vasoconstriction → worsens tissue death; may create frost injury.
 2. Minimum 20–30 min with cool water or sterile saline.
 3. Cardiac arrhythmia and muscle-breakdown kidney damage (rhabdomyolysis).
 4. Full-thickness burn; nerves destroyed.
 5. 9 % (each leg front = half of 18 %).

Key Take-Home Points

- **Depth + Size = Severity.** Learn the table.
- **C O O L** water is your first medicine—20 min for thermal, 30 min+ for chemical.
- **Never add exotic substances;** clean, cover, and refer.
- **Electrical burns look small outside but cook deep inside—always hospital.**
- Protect yourself first; a burned first aider helps no one.

Next skills lab: Practise building a burn dressing using cling film and learn to pour “continuous cool water” on a mannequin limb while keeping the rest of the body warm with blankets.