

Unit 2: Ayurvedic Concept of Female Anatomy & Physiology

Unit 2: Ayurvedic Concept of Female Anatomy & Physiology

Learning objectives

By the end of this chapter, you will be able to:

explain the Ayurvedic description of the female reproductive organs with emphasis on Garbhāśaya (uterus) and Ārtavavaha Srotas (channels of menstrual/reproductive flow);
 define Ārtava (menstrual blood/ovum) and relate its qualities to fertility;
 map the Ritu Chakra (menstrual cycle) into clear Ayurvedic phases;
 analyse the roles of Doṣa in menstrual and reproductive physiology;
 discuss Stanya (breast milk) and its importance in mother-infant health.

1. Orientation: Srotas-based view of female physiology

Ayurveda views the body as a living network of channels (**Srotas**) that transport, transform and regulate all substances and signals. A famous sūtra declares:

"यावन्तः पुरुषे मूर्तिमन्तो भावविशेषास्तावन्त एवास्मिन् स्रोतसां प्रकारविशेषाः..."

(There are as many kinds of srotas as there are embodied functions in a person.) — $Caraka\ Samhit\bar{a}$, $Vim\bar{a}na\ Sth\bar{a}na\ 5/3$

This channel-centric approach is especially useful in women's health, because fertility, menstruation, conception, pregnancy and lactation are all **flow phenomena** governed by specific srotas, tissues (**Dhātu**) and fires (**Agni**).

2. Ayurvedic description of female reproductive organs

2.1 Garbhāśaya (Uterus) and its setting

Garbha—embryo/foetus requires a well-prepared **Kṣetra** (field), identified with the **Garbhāśaya**, supported by the neighbouring **Pittaśaya** (region of digestive/metabolic fire), **Pakwāśaya** (colon), urinary bladder and vaginal canal. Classical descriptions place the uterine seat within the "yoni complex", which is conceived as a conch-like, multi-chamber pathway suited for **garbha-sthāna** (lodgment of the embryo) and **ārtava-niṣkramaṇa** (menstrual outflow).

Functional attributes of Garbhāśaya (Ayurvedic perspective):

- Ārtava-saṅgraha/niṣkramaṇa: collection and periodic expulsion of ārtava.
- Garbhotpatti-Dharana: facilitation of conception and maintenance of the foetus.
- Sambandha with Srotas: acts as Mūla (root) for the Ārtavavaha Srotas.

During pregnancy, the embryo's nourishment is described vividly by Suśruta:

"मातुस्तु स्रतु रसवहायां नाडचां गर्भनाभिनाडीप्रतिबद्धा... तेनोपस्नेहेनास्याभिवृद्धिर्भवति।"

(The foetus is connected by the umbilical cord to the mother's $rasavah\bar{a}~n\bar{a}d\bar{i}$; through this, the essence of her diet nourishes and promotes its growth.) — $Su\acute{s}ruta~Samhit\bar{a}$, $\acute{S}arīra~Sth\bar{a}na~3/31$

This highlights the centrality of **Rasa Dhātu** (plasma/essence) circulation for foetal growth and frames antenatal care as the art of maintaining pure rasa and unobstructed srotas.

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



2.2 Ārtavavaha Srotas (Channels carrying Artava)

Definition & scope: Ārtavavaha Srotas are the functional channels responsible for the **production, conduction and periodic elimination** of **Ārtava**. Classical authorities describe their **Mūlasthāna** (roots) as **Garbhāśaya** and **Ārtavavāhinī Dhamanī** (menstrual/ovarian-uterine conduits). Clinically, this srotas encompasses the ovarian-tubal-uterine axis and the cervico-vaginal outflow in an Ayurvedic sense.

When Ārtavavaha Srotas are vitiated, typical features include: scanty or absent menses (Anārtava), dysmenorrhoea, intermenstrual bleeding, clots, infertility (Vandhyatva), or irregular cycles (Ritu-vibhrama), depending on the dominant Doşa and the level of obstruction/depletion.

2.3 Yoni (Female genital tract)

Ayurveda uses **Yoni** as an umbrella term for the structural pathway of reproduction—external genitalia, vaginal canal, cervix and uterine mouth. Its healthy tone, lubrication and patency depend upon:

- Kapha for snehā (unctuousness) and stability,
- Pitta for tissue metabolism and defense,
- Vāta, especially Apāna Vāta, for rhythmic opening and downward flow.

3. Artava (menstrual blood/ ovum) and its significance in fertility

Dual connotation: In Ayurveda, **Ārtava** denotes (a) the **monthly uterine flow** (menstrual blood), and (b) the **female beejabhāga** (ovum principle). Both arise from the refinement of **Rasa Dhātu**; therefore, the status of rasa directly influences menstrual quality and ovulatory potential.

Lakṣaṇa of śuddha Ārtava (classical description, taught across commentaries):

- Colour and odour are **natural** (not foul, not putrid),
- Flow is neither excessive nor scanty, painless, occurs regularly in a fixed period,
- Duration about three days (may vary with constitution),
- Does not cause burning, itching or marked fatigue.

Why Artava quality matters for fertility:

- **Kapha-supported endometrium** (śleṣma-guṇa) provides the receptive bed, while **Pitta** ensures optimal tissue metabolism; **Vāta** governs follicular rupture/ovulation and tubal transport.
- Vitiated ārtava—too hot (Pitta), too cold/viscous (Kapha), or too dry/irregular (Vāta)—reduces the probability of conception even when coitus occurs in the fertile window.

4. Ritu Chakra (menstrual cycle) — Ayurvedic phases

Ayurveda recognises a cyclic choreography guided by the Doṣa, traditionally grouped into **three working phases** that broadly align with modern physiology:

Ayurvedic Phase	Typical Window*	Dominant Doșa	Functional emphasis	Practical signs
Rajaḥ-srava Kāla (menstrual outflow)	~3-5 days	Pitta-Vāta	Elimination of previous endometrial ārtava; cleansing; relief after complete srava	Flow starts, mild pelvic heaviness; should be painless and odour-free if śuddha

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



Ayurvedic Phase	Typical Window*	Dominant Doșa	Functional emphasis	Practical signs
Ritu Kāla (fertile period)	~days after cessation of flow, fertile window	Kapha → Vāta	Rebuilding (Kapha) of endometrium and lubrication; Apāna Vāta supports follicular rupture and gamete meeting	Clearer cervical fluid, lightness, better libido; basal warmth steadies
Rituvyatit Kāla (post- ovulatory/luteal)	balance of the cycle till next menses	Vāta-Pitta	Transport of zygote if conceived; implantation heat (Pitta) with Vāta-guided descent; otherwise preparation for next srava	Subtle breast fullness, mild heat; if no conception, srava resumes

^{*}Windows vary by prakṛti, age, nutrition and climate. The fertile **Ritu Kāla** is classically counted in nights after cessation of menstruation; counselling should tailor this to the individual's cycle length and regularity.

Clinical note: When counseling for conception, align *maithuna* with the woman's **Ritu Kāla** while ensuring **Agni** is steady, mind is calm (*sattva*), and **Vāta** is not provoked by travel, sleep loss or fasting.

5. Role of Dosa in menstrual & reproductive physiology

5.1 Doṣa-subtype map (applied to gynaecology & obstetrics)

Doșa (Subtype)	Key locations/ actions in Stree-śarīra	Physiological roles
Vāta (Apāna Vāta)	Pelvic floor, colon, uterus, cervix, vagina	Governs downward flow : menstruation, ovulation (rupture), tubal transport, cervical opening, labour & placental expulsion
Vāta (Samāna/Vyāna)	Gut-pelvis interface; circulation	Coordinates Agni with nutrient delivery to rasa; uterine perfusion
Pitta (Pācaka/Rañjaka)	Digestion/liver-blood axis	Builds rasa → rakta → ārtava; gives colour/heat to menses; supports implantation heat
Pitta (Sādhaka/Ālocaka)	Mind-heart; perception	Libido, mood around ovulation; psychosexual harmony
Kapha (Kledaka/Avalambaka/Śleṣaka)	Mucosa, breasts, pelvis	Lubrication , glandular growth (follicle, endometrium), stanya formation and letdown reflex tone

A balanced triad yields a timely, painless, odourless flow and a predictable fertile window. Disturbances present in signature ways:

- Vātaja: delayed/irregular cycles, spasmodic dysmenorrhoea, scanty dark flow, bloating, anxiety, constipation.
- Pittaja: early cycles, burning, bright-red hot flow, irritability, acne flares.
- Kaphaja: heavy/long cycles, mucous admixture, lethargy, weight gain, breast engorgement.

Clinical pearl: Always examine **Agni** (appetite, digestion, assimilation) and **Mānasika bhāva** (mind), because Vāta-Pitta-Kapha derangements often follow disturbed routines, incompatible foods and stress. Correct daily regimen (**Dinacharyā**) and seasonal regimen (**Ritucharyā**) restore rhythm to the Ritu Chakra.

6. Stanya (breast milk) and Ayurvedic importance

Status: Stanya is taught as a Strī-viśiṣṭa upadhātu (subsidiary tissue specific to women) of Rasa Dhātu. Hence,

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



anything that uplifts rasa—wholesome diet, adequate rest, kindness in relationships, satmya (compatibility)—supports healthy milk.

Lakṣaṇa of śuddha Stanya (classical descriptors used in practice):

- Natural white/cream colour, mild madhura (sweet) undertone, neutral smell;
- Neither too thin nor too thick, not frothy, no stringiness in water tests;
- Infant shows **easy suckling**, steady weight, normal stools and sleep.

Stanya-doşa patterns and infant reflections:

- Vātaja duṣṭi: thin, frothy milk; infant colic, restlessness.
- Pittaja duști: yellowish tinge, sour smell; infant rashes, loose stools, irritability.
- Kaphaja duṣṭi: thick, stringy milk; infant mucous, heaviness, somnolence.

Implications for practice: Postpartum care (**Sūtikā paricaryā**) should prioritise: rekindling **Agni**, calming **Vāta**, and building **Rasa** with light, warm, unctuous, easily digestible foods; gentle rest-activity cycles; and emotional support. What nourishes the mother's rasa will nourish the child through stanya.

7. Practical correlations & clinical mapping

7.1 Terminology crosswalk

Ayurvedic term	Core meaning	Practical/modern correlation (for reasoning only)
Garbhāśaya	Uterine "abode" of the foetus; also seat for ārtava	Uterus (cavity + muscular wall)
Ārtavavāhinī Dhamanī	Conduits conducting ārtava	Ovarian-tubal-uterine vascular/canal system and patency pathways
Ārtava (rajaḥ)	Menstrual efflux/ovum principle from Rasa	Menstrual endometrial shedding & ovulatory gamete
Apāna Vāta	Downward-moving vāyu	Pelvic floor reflexes, uterine-cervical motility
Stanya	Milk as upadhātu of Rasa	Lactation (volume/quality reflects maternal rasa–agni status)

7.2 Red flags in Ārtavavaha Srotas assessment

- Painful, clotted, foul-smelling flow (consider Pitta-Vāta aggravation).
- Amenorrhoea/oligomenorrhoea with dryness, constipation, weight loss (Vāta).
- Menorrhagia with lethargy, heaviness (Kapha).
- Infertility with irregular cycles or scanty ārtava (Vāta predominance) → assess Apāna and Agni.
- **Severe dysphoria or rage** perimenstrually suggests Pitta with sādhaka-pitta/rajas aggravation—mind care is therapeutic.

8. Selected classical verses (for memorisation & application)

- 1. Srotas doctrine (for all channel-based reasoning):
 - "यावन्तः पुरुषे मूर्तिमन्तो भावविशेषास्तावन्त एवास्मिन् स्रोतसां प्रकारविशेषाः..." Caraka Saṃhitā, Vimāna Sthāna 5/3
- 2. Foetal nourishment (antenatal physiology):
 - 'भातुस्तु खलु रसवहायां नाडचां गर्भनाभिनाडीप्रतिबद्धा... तेनोपस्नेहेनास्याभिवृद्धिर्भवति।'' Suśruta Saṃhitā, Śārīra Sthāna 3/31
- 3. **Doṣa principle (for cycle analysis and all pathya-apathya counselling):** ''वात, पित्त, श्लेष्म—एते त्रयो दोषा:" (Tri-doṣa are Vāta, Pitta and Śleṣmā/Kapha) *Bṛhattrayī tradition, used across texts for foundational teaching*

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



How to use them in clinic: Verse (1) reminds you to locate **which srotas is affected**; verse (2) directs antenatal diet and rasa-centric care; verse (3) keeps all planning centred on **doṣa-dhātu-srotas** balance.

9. Skill drills

A. Structured menstrual history (use during OPD posting):

- Cycle length/variability; age at menarche; duration/quantity of flow; pain (site, character, timing); clots/odour; intermenstrual spotting; bowel habits; sleep & mood changes; dietary cravings/aversions; recent stressors.
- Map onto Vāta-Pitta-Kapha; identify likely Ritu Chakra disturbances; list preliminary pathya-apathya.

B. Ārtava quality bedside check (non-invasive):

- Colour/odour/heaviness and pain patterns across days 1-3; ask for premenstrual changes.
- Correlate with Agni: appetite before menses, bloating, heartburn.
- Document two actionable corrections (e.g., late-night eating → Vāta/Pitta aggravation; excessive cold salads in Kapha-prone menorrhagia).

C. Stanya observation counselling (postnatal):

- Mother's digestion, thirst, sleep; infant stool frequency/colour, colic, skin rashes.
- Classify likely stanya-doşa pattern and suggest first-line diet-routine corrections to mother.

10. Summary for revision

- The female reproductive system is understood through **Garbhāśaya** (uterine abode) and **Ārtavavaha Srotas** (production-conduction-elimination of ārtava).
- Ārtava arises from Rasa; its purity predicts fertility.
- Ritu Chakra flows through Rajaḥ-srava, Ritu, and Rituvyatit phases with Kapha-Pitta-Vāta alternation.
- Apāna Vāta orchestrates menstruation, ovulation, conception and labour; Pitta colours and metabolises tissues;
 Kapha builds and lubricates.
- Stanya is an upadhātu of Rasa; maternal Agni-Rasa-Manas directly shape infant outcomes.

Assessment

A. Multiple Choice Questions (MCQs)

- 1. Mūlasthāna of Ārtavavaha Srotas is best described as:
 - a) Hrdaya and Mahāsrotas
 - b) Garbhāśaya and Ārtavavāhinī Dhamanī
 - c) Basti and Vankṣaṇa
 - d) Yakṛt and Pliha

Answer: b

- 2. **Primary Doṣa** for downward movement of ārtava is:
 - a) Vyāna Vāta
 - b) Apāna Vāta
 - c) Sādhaka Pitta
 - d) Avalambaka Kapha

Answer: b

3. **Śuddha Ārtava** is **not** characterised by:

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only. Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



- a) Regular periodicity
- b) Foul odour and burning
- c) Painless flow
- d) Appropriate quantity

Answer: b

- 4. In Ritu Kāla, the likely Doşa sequence is:
 - a) Pitta → Kapha
 - b) Kapha → Vāta
 - c) Vāta → Pitta
 - d) Kapha → Pitta → Vāta

Answer: b

- 5. **Stanya** in Ayurveda is classically considered a/an:
 - a) Māla of Rasa
 - b) Upadhātu of Rasa
 - c) Dhātu itself
 - d) Doşa product

Answer: b

- 6. A woman presents with early cycles, burning sensation and bright-red hot flow. Predominant doşa is:
 - a) Vāta
 - b) Pitta
 - c) Kapha
 - d) Sāttva

Answer: b

- 7. The verse describing foetal nourishment through rasavahā nādī appears in:
 - a) Caraka, Sūtra Sthāna 1
 - b) Suśruta, Śārīra Sthāna 3
 - c) Aṣṭāṅga Hṛdaya, Sūtra Sthāna 11
 - d) Kāśyapa, Jātisūtriya

Answer: b

- 8. Menorrhagia with lethargy and mucous admixture suggests predominance of:
 - a) Vāta
 - b) Pitta
 - c) Kapha
 - d) Sannipāta

Answer: c

B. Case vignettes (apply reasoning)

Case 1:

A 24-year-old reports 35-45 day cycles, day-1 cramping relieved by warmth, scanty dark flow, constipation and anxiety before menses.

• **Tasks:** Identify dominant doṣa and srotas involved; map which Ritu Chakra segment is most deranged; list three first-line corrections in dinacharyā/āhāra to pacify Vāta and support Apāna.

Case 2:

A 29-year-old trying to conceive: cycles every 28-30 days, menses painless; around mid-cycle she notes increased clear lubrication and better mood. She has late dinners and sleeps after midnight.

• Tasks: Identify her Ritu Kāla window features; explain risks of agnimāndya on ovulatory quality; suggest two corrections to protect Kapha-building phase without provoking Pitta.

Case 3 (postnatal):

Mother 2 weeks postpartum; milk appears thick and stringy; baby sleepy with sticky stools.

• Tasks: Identify probable stanya-kapha duṣṭi; list gentle rasa-agni supportive dietary and routine steps for the mother.

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



End of Unit 2



© Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.