

WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

Unit 3: Safe Practice Techniques and Body Mechanics

PAPER 8 — Injury Prevention

Unit 3: Safe Practice Techniques and Body Mechanics

(Therapist posture • Stroke & stretch alignment • Client ergonomics • Support tools • RSI prevention for therapists)

Correct therapist body posture during Uzhichil

Efficient posture lets you deliver pressure with **body weight**, not small joints. Build your stance before you touch the client. Keep a **long spine** (sternum lifted, ribs soft), pelvis neutral, and **hinge at the hips** rather than flexing the lumbar spine. Stack joints so that **shoulder** \rightarrow **elbow** \rightarrow **wrist** \rightarrow **contact point** sit in one line of force. Keep wrists near-neutral (little to no ulnar deviation), elbows softly flexed (20–30°), shoulders depressed and wide via gentle scapular set (serratus + lower traps).

Use three "home" stances and flow between them:

- **Split stance (lunge)** for long forearm glides: front knee over 2nd-3rd toe, rear heel light; move the whole body to create stroke, not just the arm.
- Horse stance (wide squat) for bilateral work (back/thighs): feet slightly turned out, knees tracking, pelvis dropping straight down.
- Narrow stance at table corner for head-neck work: one foot forward under the table corner to keep chest close and elbows tucked.

Table height is your silent assistant: for **forearm/palm strokes**, set table just **below your ulna styloid/wrist crease**; for **precision head-neck work**, raise it a few centimeters to spare your back. Breathe with the stroke—**exhale as you load**, **inhale as you return**—to keep pressure steady and the nervous system calm.

Proper alignment during strokes and stretches

Every stroke has a **line of drive**; let bones carry it. For long **Thirumu** glides, align your forearm so a straight line could run from your back foot through your elbow to the target. Keep the contact broad (palm/ulnar forearm) and travel with your legs; your hand should be the last thing to fatigue. For **Eduthu-thirumu** (lift-knead), lift with a whole-hand scoop and forearm support, not thumb pinch. For **Akam-thirumu** (inward centring), imagine "hugging" tissue toward the joint, never poking vertically into a joint line.

When you **stretch**, fix the **proximal** segment first (two-point control) and move **slow-exhale-stop before end-range**. Avoid locking your own elbows or cranking a client into end-range; traction beats compression at **sandhi** (joint rings). Near **sūkṣma/agni marmas** (neck, precordium, umbilicus, pelvis, crown) keep all contacts broad, oblique, and brief.

Ergonomics of client positioning

Position the client so gravity helps you and protects them.

- **Supine**: best for anterior legs, abdomen, chest-parasternal (broad touch only), and neck. Place a **bolster under knees** to slacken lumbar spine; arms supported to avoid brachial plexus strain.
- **Prone**: posterior chain and scapular plane. **Ankle bolster** prevents plantarflexor cramps; adjust face cradle height so cervical spine stays neutral.
- **Side-lying**: shoulder, hip, and lateral rib work, pregnancy, or reflux. Use **three-point support** (head, between knees, under waist).
- Seated: short neck/shoulder sets, autonomic settling at the end, or when supine/prone are not tolerated.

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

Match position to **breathing, circulation, and marma safety**: side-lying or seated for late pregnancy; head-up for reflux or sinus congestion; avoid prone with acute shoulder impingement.

Use of support tools (pillows, bolsters)

Tools make your posture possible and keep pressure predictable.

- **Bolsters/half-rolls**: under knees (supine) or ankles (prone) to unload lumbar spine and hamstrings; between knees in side-lying to protect SI joint.
- Wedges: under thorax in prone for larger chests or in side-lying to level the rib cage.
- Arm shelves/soft blocks: support abducted shoulder in prone; prevent traction on brachial plexus.
- Face cradle & towels: fine-tune neck neutrality and avoid carotid kinking.
- Non-slip/anti-fatigue mats: your feet will last longer; slips disappear.
- Oil holster/pumps: keep bottles off surfaces; reduce reach and spill risk.

Choose the **least** tool that achieves alignment, then retest comfort and breath.

Avoiding repetitive strain for therapists

RSI prevention is a system: dose, variety, strength, and signals.

- **Dose**: plan your day. Cap continuous heavy sessions; rotate region focus; schedule 3–5-minute gaps for cleanup and a micro-reset.
- Variety: alternate forearm, palm, fist and elbow (broad, not point); avoid long sequences of thumb-led work. Switch leading foot/hand each client.
- **Strength & mobility** (10–12 min daily): hip hinge drills, glute bridges, wall slides/scapular sets, wrist extension/flexion eccentrics, finger extensor band work, calf–ankle mobility.
- **Signals**: tingling, night ache at base of thumb, or elbow sting = **change technique now**; shorten lever (step closer), broaden contact, or stop and refer yourself if symptoms persist.
- **Admin ergonomics**: sit with back supported for notes, screen at eye level, forearms supported—your paperwork posture counts.

Summary Tables

A) Posture quick cues (at a glance)

Area	Do	Don't
Spine & hips	Long spine, hip hinge , ribs soft	Bend from waist, rib flare
Shoulders	Scapula set (down/around), elbows close	Shoulders up to ears, flared elbows
Wrists	Neutral to slight flexion	Ulnar-deviated, thumb jam
Stance	Move from legs; front knee tracks 2nd-3rd toe	Reach with arms; knee valgus
Breath	Exhale on load, inhale on return	Breath hold with push

B) Stroke & stretch alignment rules

Technique	Alignment	Force source	Safety check
Thirumu (long glide)	Forearm in line with back foot → target	Body weight via legs	Pressure steady through exhale
Eduthu-thirumu (lift–knead)	Whole-hand scoop, elbow near ribcage	Legs + trunk, not thumb	No pinch fatigue in 1–2 min

[©] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only. Unauthorized reproduction, distribution, or commercial use is strictly prohibited.







Stretch/traction

Technique Alignment Safety check **Force source** Akam-thirumu (centering) Draw tissue toward joint, ring-wise Oblique vector No vertical jab at joint line Stop pre end-range; client can

Whole body, not arms breathe www.ayurvedbharati.org

C) Client positioning & bolsters

Scenario	Position	Support	Why
Low-back tightness	Supine	Bolster under knees	Slack hip flexors/lumbar
Posterior chain work	Prone	Half-roll under ankles	Spare knees/Achilles
Shoulder focus, pregnancy, reflux	Side-lying	Head, between knees, under waist	Protects neck/SI, easier breath
Autonomic settle/finish	Seated	Feet planted, back supported	No orthostatic dips; grounded exit

D) Tool selection matrix

Need Tool Tip

Neutral neck in prone Face cradle + towel shims Level ears-shoulders

Check that lumbar lordosis softens Hip/low-back ease Knee bolster (supine)

Proximal stabilize, slow end-feel

Shoulder relaxation prone Arm shelf/bolster Forearm parallel to floor Therapist foot comfort Anti-fatigue mat Place where you lunge most

E) Therapist RSI prevention checklist

- Warm-up 3-5 min before first client (wrists, scap sets, hip hinges).
- Table height set for task (lower for forearm glides, higher for precision).
- Alternate lead foot/hand; vary contacts (forearm/palm/fist).
- Micro-break each hour: 60-90 s shake-out + 4/6 breath.
- Hydrate and snack (protein + fruit) on long shifts; avoid working dehydrated.
- Red-flag your own symptoms and modify **immediately**; document changes.
- End-of-day 6-8 min strength/mobility circuit; screens down 60 min before sleep.

Practice drills (self-study)

- Mirror hinge: stand side-on; practice 10 slow hip hinges keeping spine long.
- Wall forearm line: place forearm on wall, step into split stance, and feel the line from back foot → elbow → contact; repeat on both sides.
- Bolster set-ups: time yourself setting supine, prone, side-lying supports so the client looks symmetrical and relaxed; check breath ease each time.

Key take-aways

- 1. Let **bones and stance** carry the load; hands only shape it.
- 2. Align the **line of drive** and breathe with pressure to keep depth safe and repeatable.
- 3. Position clients so gravity helps, not fights, your intent; use the least tool that creates comfort and access.
- 4. Prevent RSI with dose control, technique variety, and daily strength/mobility—change your method at the first warning sign.

[@] Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only. Unauthorized reproduction, distribution, or commercial use is strictly prohibited.