# ii. Pharmacological properties of secondary and active metabolites of medicinal plants

ii. Pharmacological properties of secondary and active metabolites of medicinal plants used in Ayurveda

# Background: Secondary Metabolites in Ayurveda

#### **Ayurveda's Holistic Perspective**

#### 1. Medicinal Plants and Rasayana

- In Ayurveda, many medicinal plants are classified as Rasayana (rejuvenative) when they promote longevity, vitality, and equilibrium of Doshas (Vata, Pitta, Kapha).
- Secondary metabolites are not singled out by name in classical Ayurvedic texts but are implied via the plants' Rasa (taste), Guna (qualities), Virya (potency), Vipaka (post-digestive effect), and Prabhava (unique action).

### 2. Polyherbal Formulations

- Most Ayurvedic formulations (e.g., Chyavanprasha, Dasamoolarishta) combine multiple herb extracts, harnessing synergy among distinct secondary metabolites.
- The overarching principle is **multi-target** therapeutics, with each constituent influencing diverse physiological processes.

#### **Secondary Metabolites: Significance**

#### 1. Definition

- Complex organic compounds derived from primary metabolic pathways but not strictly essential for plant survival—provide ecological advantages (defense, pollination).
- Categories: **Alkaloids**, **Phenolics** (flavonoids, tannins, phenolic acids), **Terpenoids** (monoterpenes, sesquiterpenes, diterpenes), **Glycosides** (cardiac, saponins), **Coumarins**, and more.

#### 2. Ayurvedic Plant Examples

- o Withania somnifera (Ashwagandha): withanolides (steroidal lactones).
- o Bacopa monnieri (Brahmi): bacosides (triterpene saponins).
- o Azadirachta indica (Neem): limonoids, azadirachtin.
- o Curcuma longa (Turmeric): curcuminoids (polyphenols).
- o Ocimum sanctum (Tulsi): eugenol, rosmarinic acid, ursolic acid.
- o Terminalia chebula (Haritaki): chebulagic acid, chebulinic acid (tannins).

# Major Classes of Secondary Metabolites and Their Pharmacological Actions

## Alkaloids

#### 1. Chemical Nature and Ayurvedic Insight

- Nitrogen-containing heterocyclic compounds, often bitter (tikta rasa), can exert potent physiological effects.
- In Ayurveda, bitterness is associated with *pachana* (digestive), *dipana* (appetite stimulation), and *kapha-pitta-shamaka* (balance of kapha/pitta).

#### 2. Pharmacological Activities

- **Analgesic/Anesthetic**: E.g., morphine-like alkaloids from *Papaver somniferum* (though more recognized in Western pharmacopeia, they align with traditional sedation/pain relief).
- **Antimalarial**: Quinine from *Cinchona* bark (adopted historically), though not a classic Ayurvedic plant, exemplifies the broader scope of alkaloidal therapy.
- **Adaptogenic**: Certain alkaloid-rich herbs in Ayurveda (like *Rauvolfia serpentina* with reserpine) have sedative, antihypertensive properties.

#### 3. Key Ayurvedic Example

o Rauvolfia serpentina (Sarpagandha): Contains reserpine (an indole alkaloid). Traditional use for

<sup>©</sup> Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.



#### WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

hypertension (Vata disorder) and mental calmness aligns with reserpine's modern classification as an antihypertensive and antipsychotic agent.

#### **Phenolic Compounds**

#### 1. Flavonoids and Polyphenols

- Broad category with **aromatic rings** bearing hydroxyl groups.
- In Ayurvedic terms, these often impart an astringent (*kashaya*) or bitter (*tikta*) rasa, conducive to cleansing (shodhana) and cooling (shita virya) effects.

#### 2. Pharmacological Profiles

- **Antioxidant**: Neutralize free radicals, reduce oxidative stress.
- Anti-inflammatory: Modulate COX, LOX, cytokine pathways (e.g., quercetin, catechins, curcumin).
- **Hepatoprotective**: Silymarin from *Silybum marianum* used in analogous Ayurvedic prescriptions for liver tonics (though not a purely Ayurvedic herb, the principle remains consistent).

#### 3. Notable Ayurvedic Plant Examples

- *Turmeric* (Curcumin): A potent anti-inflammatory, antioxidant, supporting wound healing, anti-arthritic, and immunity modulation.
- o Tulsi (Ocimum sanctum): Rich in eugenol, rosmarinic acid—anti-inflammatory, anti-microbial, adaptogenic.
- Amalaki (Emblica officinalis or Phyllanthus emblica): High in vitamin C and tannins (emblicanin), used for rejuvenation and potent antioxidant properties.

#### **Terpenoids (Including Steroidal and Non-Steroidal)**

#### 1. Classes

- Monoterpenes (C₁₀), Sesquiterpenes (C₁₅), Diterpenes (C₂₀), Triterpenes (C₃₀), Steroidal structures.
- Commonly found in essential oils, resins, and latex. Linked to aromatic (katu), pungent, or sometimes sweet tastes, varying by chemical structure.

#### 2. Pharmacological Significance

- Anti-inflammatory/Antiseptic: Many essential oils, such as eugenol in clove or thymol in thyme, have strong antibacterial, antifungal actions.
- **Adaptogenic/Stress-Response**: Withanolides in *Withania somnifera* or ginsenosides in *Panax ginseng* (some parallels to Ayurvedic usage), act on HPA axis, modulating stress hormones.
- **Anticancer**: Triterpenoids (e.g., boswellic acids from *Boswellia serrata*) show tumor growth inhibition, used in anti-arthritic contexts in Ayurveda.

#### 3. Steroidal Compounds

• Withanolides (Ashwagandha), diosgenin (fenugreek), punarnavine (Boerhavia diffusa). They can exhibit anabolic, immunomodulatory, or anti-hyperglycemic effects consistent with *Rasayana* classification.

#### Glycosides (Cardiac, Saponins, Anthraquinones)

#### 1. Cardiac Glycosides

- Typically found in non-Ayurvedic classic plants like *Digitalis purpurea*. However, certain Ayurvedic herbs with mild cardenolides also influence cardiac function.
- Thevetia peruviana (yellow oleander) is known in folk medicine but must be used with extreme caution due to toxicity.

#### 2. Saponins

- Characterized by foam-forming capacity, have hemolytic or membrane-permeabilizing properties.
- Triterpenoid saponins (e.g., bacosides in *Bacopa monnieri*) show nootropic, anxiolytic, memory-enhancing effects, aligning with Ayurvedic usage for cognitive rejuvenation (*Medhya Rasayana*).

### 3. Anthraquinones

- Common in laxatives (e.g., Cassia angustifolia or Senna). Ayurvedic usage for constipation, purgation therapies (Virechana).
- Mechanism: irritant to colonic mucosa, promoting peristalsis.

## **Coumarins, Stilbenes, and Other Minor Classes**

#### 1. Coumarins

<sup>©</sup> Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only. Unauthorized reproduction, distribution, or commercial use is strictly prohibited.

#### WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

- o Psoralea corylifolia (Bakuchi) rich in psoralen, used topically for vitiligo/ leukoderma in Ayurveda.
- o Coumarins can exhibit anticoagulant, antimicrobial, anti-inflammatory activities.

#### 2. Stilbenes

- Resveratrol from certain medicinal sources (though more recognized in grapes, peanuts) has antioxidant and cardioprotective attributes.
- Raktachandana (Pterocarpus santalinus) may contain related phenolics with anti-inflammatory or colorant uses in Ayurvedic formulations.

# Pharmacological Mechanisms and Integrative Concepts

#### **Multi-Target and Synergistic Effects**

#### 1. Holistic Activity

- Ayurvedic multi-herb formulas intentionally combine synergistic secondary metabolites—one might boost absorption, another potently modulates immune responses, another counters side effects.
- Triphala, for instance, merges Phyllanthus emblica, Terminalia chebula, and Terminalia belerica, each rich in phenolics and tannins, collectively offering antioxidant, digestive, and detoxifying actions.

#### 2. Immunomodulatory and Adaptogenic

 Many Ayurvedic herbs (e.g., Ashwagandha, Guduchi, Shatavari) are prized for Rasayana or adaptogenic effects—reducing stress hormone levels, enhancing immune function, stabilizing blood glucose, or balancing neuroendocrine axes.

#### 3. Anti-inflammatory, Antioxidant Pathways

- Secondary metabolites (e.g., curcuminoids, boswellic acids) can downregulate proinflammatory mediators (TNF-α, IL-1β, NF-κB) or scavenge free radicals.
- Long-term usage in chronic conditions (arthritis, metabolic disorders, certain degenerative diseases) is well documented in Ayurvedic treatises.

# **Safety Considerations and Quality Control**

#### 1. Standardization

- Variation in metabolite profiles due to geography, harvesting time, and post-harvest handling.
- Need for marker-based authentication (HPLC, TLC, mass spectrometry) to ensure consistent levels of key secondary metabolites.

#### 2. Potential Toxicity and Heavy Metal Adulteration

- Some preparations historically used metal/mineral bhasmas, leading to controversies if not purified properly.
- Quality control guidelines (e.g., WHO, AYUSH in India) aim to minimize contamination and standardize active ingredient content.

#### 3. Pharmacokinetics and Herb-Drug Interactions

- Polyphenols or alkaloids can modulate CYP450 enzymes, affecting co-administered drugs.
- In-depth clinical evaluations of synergy or adverse interactions remain crucial for evidence-based integrative medicine.

# **Future Directions in Research and Application**

#### 1. Molecular Docking and Omics

- High-throughput screening, in silico docking to identify molecular targets for alkaloids or terpenoids.
- Metabolomics profiling to decode synergy in polyherbal mixtures, leading to advanced formulation designs.

#### 2. Nanotechnology in Herbal Delivery

- Encapsulation of these metabolites in polymeric or lipid-based nanosystems to enhance bioavailability, stability, and targeted delivery.
- Example: Liposomal curcumin or nano-brahmi for crossing the blood-brain barrier, tackling neurodegenerative diseases.

#### 3. Integration with Traditional Knowledge

• Further synergy between **Ayurvedic** methodology (dosha-based prescriptions, *panchakarma* detox procedures) and modern pharmacological studies can optimize therapeutic outcomes.

<sup>©</sup> Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.





WHERE CLASSICAL WISDOM MEETS INTELLIGENT LEARNING

• Community-led conservation, sustainable harvesting, and fair trade practices ensure the continued availability of medicinal biodiversity.

# **Concluding Remarks**

Secondary metabolites derived from **medicinal plants** in **Āyurveda** constitute a remarkable pharmacopeia, informed by millennia of empirical usage and increasingly validated by modern **phytochemical** and **biomedical** research. Classes such as **alkaloids**, **phenolics**, **terpenoids**, and **glycosides** underlie a wide spectrum of **pharmacological** activities—anti-inflammatory, adaptogenic, antimicrobial, anticancer, neuroprotective—that resonate with Ayurvedic principles of **balance**, **rejuvenation**, and **holistic health**.

A robust understanding of these compounds—covering biosynthetic pathways, mechanisms of action, synergistic behavior, and safety/quality control measures—reinforces the relevance of Ayurvedic formulations in contemporary integrative medicine. Ongoing explorations, guided by advanced omics approaches, green chemistry, and evidence-based clinical trials, promise to further refine and harness the power of these secondary metabolites for next-generation therapeutics and sustainable healthcare solutions.

<sup>©</sup> Ayurvite Wellness Pvt Ltd. All rights reserved. This PDF is for personal use only Unauthorized reproduction, distribution, or commercial use is strictly prohibited.